



HP2-K39^{Q&As}

Support and Service HP StoreOnce Multinode Solutions

Pass HP HP2-K39 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.pass4lead.com/HP2-K39.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by HP Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers





QUESTION 1

Which HP resource can be used to obtain the HP StoreOnce Enterprise Manager?

- A. HP Support Center
- B. HP PartnerOne or Smart Portal
- C. HP Software Depot Home
- D. HP StoreOnce Product Page

Correct Answer: C

QUESTION 2

Which recommendations should be followed when zoning an HP StoreOnce 6500 Backup system into a large fabric?

- A. Target-centric zoning should be used, combining tape and disk targets into single zones.
- B. Host-centric zoning should be used, splitting tape and disk targets into different zones.
- C. No zoning should be used; it is not required for the HP StoreOnce 6500 Backup system.
- D. The highest port on the SAN switch should be zoned for the tape controller.

Correct Answer: B

QUESTION 3

Where does the failover in an HP StoreOnce 6500 Backup system take place?

- A. within a storage unit
- B. within a service set
- C. within a couplet
- D. within a cluster

Correct Answer: C

QUESTION 4

You need to configure the network for an HPStoreOnce 6500 Backup system with FW Rev. 3.10.0 on two couplets and plan to implement template two. How many IP addresses are used to implement network template two?

- A. two virtual management IP addresses and eight for data (6P + 4V)



- B. four virtual data IP addresses (3V+ 1P) and five management IP addresses (4P + 1V)
- C. five management IP addresses (4P + 1V) and eight for data (4P + 4V)
- D. one management IP (1V) and eight IP addresses for data (4P + 4V)

Correct Answer: D

QUESTION 5

After installing an HP StoreOnce 4900 Backup system, you want to check the component firmware. Which CLI command should you use?

- A. firmware state
- B. component update check
- C. hardware show firmware
- D. system show components

Correct Answer: C

[Latest HP2-K39 Dumps](#)

[HP2-K39 Study Guide](#)

[HP2-K39 Braindumps](#)



To Read the [Whole Q&As](#), please purchase the [Complete Version](#) from [Our website](#).

Try our product !

100% Guaranteed Success

100% Money Back Guarantee

365 Days Free Update

Instant Download After Purchase

24x7 Customer Support

Average 99.9% Success Rate

More than 800,000 Satisfied Customers Worldwide

Multi-Platform capabilities - [Windows](#), [Mac](#), [Android](#), [iPhone](#), [iPod](#), [iPad](#), [Kindle](#)

We provide exam PDF and VCE of Cisco, Microsoft, IBM, CompTIA, Oracle and other IT Certifications. You can view Vendor list of All Certification Exams offered:

<https://www.pass4lead.com/allproducts>

Need Help

Please provide as much detail as possible so we can best assist you.

To update a previously submitted ticket:



| | | |
|---|---|--|
|  <p>One Year Free Update Free update is available within One Year after your purchase. After One Year, you will get 50% discounts for updating. And we are proud to boast a 24/7 efficient Customer Support system via Email.</p> |  <p>Money Back Guarantee To ensure that you are spending on quality products, we provide 100% money back guarantee for 30 days from the date of purchase.</p> |  <p>Security & Privacy We respect customer privacy. We use McAfee's security service to provide you with utmost security for your personal information & peace of mind.</p> |
|---|---|--|

Any charges made through this site will appear as Global Simulators Limited.

All trademarks are the property of their respective owners.

Copyright © pass4lead, All Rights Reserved.