

# HP2-N53<sup>Q&As</sup>

Delta - HP LoadRunner 12.x Software

**Pass HP HP2-N53 Exam with 100% Guarantee**

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.pass2lead.com/hp2-n53.html>

100% Passing Guarantee  
100% Money Back Assurance

Following Questions and Answers are all new published by HP Official Exam Center

- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers



**QUESTION 1**

Which methods can you use to populate the VTS with test data? (Select two.)

- A. Use the VuGen data utility to import the table data.
- B. Use VTS function calls in your script to create the initial data.
- C. Use the ODBC exec command to invoke a database stored procedure call.
- D. Import the data from a comma delimited file from within your script.
- E. Import the data from a comma delimited file using the VTS user interface.

Correct Answer: BE

---

**QUESTION 2**

How is the run logic in a TruClient script controlled?

- A. Run logic is not applicable to TruClient protocol, as TruClient scripts contain no actions.
- B. TheTruClient Sidebar handles all the run logic for the TruClient script.
- C. In the same way as the Web (HTTP/HTML) protocol script, with Vuser\_init, one or more action sections, and a Vuser\_end.
- D. TruClient scripts contain one action only.

Correct Answer: D

---

**QUESTION 3**

LoadRunner provides tools for which activities? (Select three.)

- A. executing complete functional testing
- B. creating and executing load scenarios
- C. monitoring real user activities
- D. creating scripts
- E. analyzing test results
- F. managing service requests

Correct Answer: BDE

---

**QUESTION 4**

HOTSPOT Hot Area:

The method of communication between a client and the server

▼

- Protocol
- Script footprint
- Transaction
- Virtual User or VUser
- Scenario
- VUser Script

The recorded actions of a business process performed in your application

▼

- Protocol
- Script footprint
- Transaction
- Virtual User or VUser
- Scenario
- VUser Script

Emulates the actions of human users working on your system

▼

- Protocol
- Script footprint
- Transaction
- Virtual User or VUser
- Scenario
- VUser Script

Defined by the quantities of the various resources that are required on a load generator in order to execute the VUser script, typical

▼

- Protocol
- Script footprint
- Transaction
- Virtual User or VUser
- Scenario
- VUser Script

Defines the events that occur during a testing session, based on performance requirements

▼







- Protocol
- Script footprint
- Transaction
- Virtual User or VUser
- Scenario
- VUser Script

You define it, to measure the performance of your system; it enables you to measure how long it takes to perform a set of steps

▼

- Protocol
- Script footprint
- Transaction
- Virtual User or VUser
- Scenario
- VUser Script

Correct Answer:

The method of communication between a client and the server	
The recorded actions of a business process performed in your application	
Emulates the actions of human users working on your system	
Defined by the quantities of the various resources that are required on a load generator in order to execute the VUser script typical	
Defines the events that occur during a testing session, based on performance requirements	
You define it, to measure the performance of your system; it enables you to measure how long it takes to perform a set of steps	

**QUESTION 5**

What should you select in the Toolbox to trap errors in TruClient scripts?

- A. Add a Throw Error step from the Error Control section.
- B. Add a Catch Error step from the Error Control section.
- C. Add an Error step from the Flow Control section.
- D. Add a Catch Error step from the Flow Control section.

Correct Answer: A