

HPE0-J77^{Q&As}

Designing HPE Backup Solutions

Pass HP HPE0-J77 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.pass2lead.com/hpe0-j77.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by HP Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers



QUESTION 1

Which resource should be used to validate support of an HPE MSL 6480 tape library for a specific backup application?

- A. HPE MSL6480 QuickSpecs
- B. HPE Storage Sizing tool +
- C. HPE StoreEver Tape Library Drive Upgrade Matrix
- D. HPE Data Agile BURA Compatibility Matrix

Correct Answer: D

QUESTION 2

Arrange the levels of data availability in the correct sequence, from highest to lowest

Select and Place:

	Sequence	
High Availability	1	<input type="text"/>
Fault Tolerant	2	<input type="text"/>
Conventional	3	<input type="text"/>
Highly Reliable	4	<input type="text"/>
Fault Resilient	5	<input type="text"/>

Correct Answer:

Sequence	
1	Fault Tolerant
2	Fault Resilient
3	High Availability
4	Highly Reliable
5	Conventional

QUESTION 3

A customer has concerns about backup on the infrastructure and virtual machine performance during backup time. The customer is using Veeam Backup and Replication as their primary backup tool. You recommend the use of a snapshot integration

How does this reduce the impact?

- A. It writes the data directly from the storage to the backup device.
- B. It initiates storage snapshots and mounts them to the backup host.
- C. It performs a LUN level snapshot of all VMs and backs them up.
- D. It creates a snapshot of each virtual machine and writes the data through the ESX host

Correct Answer: B

QUESTION 4

When creating a new virtual volume for an HPE StoreOnce VSA on an HPE 3PAR StoreServ 8000, how is the RAID level chosen?

- A. by selecting the appropriate set size for the W
- B. by selecting the appropriate resource pool for the W
- C. by selecting the appropriate LD for the W
- D. by selecting the appropriate CPG for the W

Correct Answer: D

QUESTION 5

A customer needs to offload disk I/O caused by nightly backups from their production HPE 3PAR StoreServ Disk Array. They have two other HPE 3PAR Disk Arrays. One is located at their disaster recovery (DR) site located 300 km away, and the other is used for their Test/Dev environment located in the same datacenter.

What should you recommend to accomplish this? (Select two)

- A. Set up HPE 3PAR synchronous replication between the production and Test/Dev disk arrays.
- B. Create a snapshot of the replicated volumes on the production array and present to the backup system.
- C. Set up HPE 3PAR synchronous replication between the production and DR disk arrays.
- D. Create a snapshot of the replicated volumes on the Test/Dev array and present to the backup system.
- E. Set up HPE 3PAR enhanced asynchronous replication between the production and DR disk arrays.

Correct Answer: AD

[Latest HPE0-J77 Dumps](#)

[HPE0-J77 Study Guide](#)

[HPE0-J77 Exam Questions](#)