

# HPE2-T37<sup>Q&As</sup>

Using HPE OneView

**Pass HP HPE2-T37 Exam with 100% Guarantee**

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.pass2lead.com/hpe2-t37.html>

100% Passing Guarantee  
100% Money Back Assurance

Following Questions and Answers are all new published by HP Official Exam Center

- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers



**QUESTION 1**

**HOTSPOT**

Click the option that must be configured for an HPE OneView when an HPE storage system is connected directly to an HPE Synergy frame.

Hot Area:

## Create Network ?

Name

FC-A

Type

☐ Ethernet ☒ Fibre Channel ☐ FCoE

Fabric type

Fabric attach ▼

Associated SAN

none 🔍

Preferred bandwidth

2,5

Gb/s

Maximum bandwidth

20

Gb/s


Login redistribution

Auto █

Link stability interval

30

seconds

 Changed: Name to ...

Create

Create +

Cancel

Correct Answer:

## Create Network



Name

Type ☐ Ethernet ☒ Fibre Channel ☐ FCoE

Fabric type

Associated SAN

Preferred bandwidth  Gb/s

Maximum bandwidth  Gb/s

Login redistribution

Link stability interval  seconds



Changed: Name to ...

Create

Create +

Cancel

### QUESTION 2

Which statement about M-LAG setup is true?

- A. When combined with IRF, M-LAG will allow you to aggregate ports coming from clustered HPE Synergy Virtual Connect modules.
- B. M-LAG for HPE Synergy can be either single-homed or multi-homed, while for HPE BladeSystem only single-homed.
- C. sFLOW cannot be enabled if M-LAG is configured between HPE Synergy Virtual Connect modules in the same frame.
- D. M-LAG has to be defined manually for HPE BladeSystem, but it is automatically configured for HPE Synergy.

Correct Answer: A

---

### QUESTION 3

You Just downloaded a logical enclosure support dump, but you cannot extract files from the downloaded support dump. What is a likely cause of the issue?

- A. The support dump for Logical Enclosure can be analyzed only using special tool.
- B. The support dump is encrypted and cannot be unpacked
- C. The support dump does not have a valid HPE OneView certificate
- D. The backup user role must be used to extract the support dump

Correct Answer: A

---

### QUESTION 4

Refer to the exhibit.

## Connections

	ID	Name	Network	Port	Boot		
●	1	e1	<u>Eth-1</u> Untagged	Mezzanine 3:1-a	Not bootable		
		Type	Ethernet				
		MAC address	94:40:C9:6C:24:24 (p)				
		Requested virtual functions	None				
		Requested bandwidth	2.5 Gb/s				
		Link Aggregation group	None				
●	2	f1	<u>FC-A</u> Fabric Attach	Mezzanine 3:1-b	Not bootable		
		Type	Fibre Channel				
		WWPN	20:00:94:40:c9:6c:24:26 (p)				
		WWNN	10:00:94:40:c9:6c:24:26 (p)				
		MAC address	94:40:C9:6C:24:26 (p)				
		Requested bandwidth	2.5 Gb/s				
●	3	f2	<u>FC-A</u> Fabric Attach	Mezzanine 3:2-b	Not bootable		
		Type	Fibre Channel				
		WWPN	20:00:94:40:c9:6c:24:27 (p)				
		WWNN	10:00:94:40:c9:6c:24:27 (p)				
		MAC address	94:40:C9:6C:24:27 (p)				
		Requested bandwidth	2.5 Gb/s				

Add connection

Which statement about server connections is true?

- A. LACP on downlinks is configured for Ethernet connection
- B. All connections within the server profile are using physical IDs
- C. Ethernet connection is configured to boot from PXE
- D. Storage array is connected directly to an HPE Synergy frame

Correct Answer: C

### QUESTION 5

Which licenses are optional to be purchased separately for HPE Synergy?

- A. Global Dashboard licenses
- B. FC Upgrade licenses
- C. HPE OneView licenses
- D. Virtual Connect licenses

Correct Answer: B

[Latest HPE2-T37 Dumps](#)

[HPE2-T37 PDF Dumps](#)

[HPE2-T37 VCE Dumps](#)