

HPE2-Z39^{Q&As}

Fast Track - Applying Aruba Switching Fundamentals for Mobility

Pass HP HPE2-Z39 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.pass2lead.com/hpe2-z39.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by HP Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers



QUESTION 1

What is a best practice for an MSTP region?

- A. The config name should contain the hostname of the root switch.
- B. The desired root for the CIST should have a lower config revision than any other switch.
- C. Switch-to-switch links should carry all VLANs in use in the MSTP region.
- D. A switch should have a consistent spanning tree priority in each MSTP instance

Correct Answer: C

QUESTION 2

```
Switch# show vlans port 1 detail

Status and Counters - VLAN Information - for ports 1

VLAN ID Name          | Status   Voice Jumbo Mode
-----+-----+-----+-----+-----
5     VLAN5           | Port-based No   No   Untagged

Switch# show vlans port 2 detail

Status and Counters - VLAN Information - for ports 2

VLAN ID Name          | Status   Voice Jumbo Mode
-----+-----+-----+-----+-----
1     DEFAULT_VLAN    | Port-based No   No   Untagged
5     VLAN5           | Port-based No   No   Tagged
6     VLAN6           | Port-based No   No   Tagged
```

The ArubaOS switch shown in the exhibit receives traffic with a VLAN 6 tag on switch port1. The traffic is destined to a MAC address learned on port 2.

What does the switch do with the traffic?

- A. It floods the traffic on port 2 on all VLANs.
- B. It forwards the traffic on port 2 with a VLAN tag of 5.
- C. It forwards the traffic on port 2 without a VLAN tag.
- D. It drops the traffic

Correct Answer: B

QUESTION 3

A port on an ArubaOS switch has its default spanning tree settings. When is the port defined as a spanning tree edge


port?

- A. when the switch and the connected switch run MSTP but have different region settings
- B. when the switch runs MSTP but the connected switch runs RSTP
- C. when the port fails to receive BPDUs on the port within a set period of time
- D. when the port is part of a VLAN that is dedicated to that port alone

Correct Answer: B

QUESTION 4

Refer to the exhibit.



A network administrator creates a route to 10.1.2.0/24 on Switch-4. What is the correct next hop for the route?

- A. 10.1.0.2
- B. 10.1.0.9
- C. 10.1.0.1
- D. 10.1.2.1

Correct Answer: C

QUESTION 5

The switches in the exhibit use RSTP. The network administrator needs to add Link 2.

Exhibit Missing

Why should the administrator configure Links 1 and 2 as a link aggregation?

- A. to share traffic more evenly over both links
- B. to prevent a loop from occurring
- C. to automatically apply the settings already configured for Link 1 to Link 2
- D. 4th option Missing

Correct Answer: A

[Latest HPE2-Z39 Dumps](#)

[HPE2-Z39 Study Guide](#)

[HPE2-Z39 Exam Questions](#)