

HPE6-A47^{Q&As}

Designing Aruba Solutions

Pass HP HPE6-A47 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.pass2lead.com/hpe6-a47.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by HP Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers



QUESTION 1

An Aruba wireless solution for a very high density (VHD) wireless solution consists of a Mobility Master (MM) and two Mobility Controllers (MCs).

What is the best practice design for routing the wireless traffic?

- A. The MCs provide the default gateway services for wireless devices and use static routers.
- B. The MCs act at Layer2, and the MM acts as the default gateway.
- C. The MCs act at Layer2, and core routing switches act as the default gateway.
- D. The MCs provide the default gateway services for wireless devices and use OSPF.

Correct Answer: B

QUESTION 2

A customer needs a wireless solution upgrade. Among the devices that need wireless access are printers. What information about the printers does the architect need to plan the wireless solution? (Select two.)

- A. whether the printers are physically locked down
- B. the identify of users who need to access printers
- C. whether the printers support Power over Ethernet (PoE)
- D. whether the printers support 802.1X
- E. the 802.11 standards supported by the printer

Correct Answer: C

QUESTION 3

What is one important guideline for antenna selection?

- A. Ensure that the beam-width exceeds 100 degrees.
- B. Ensure that the H-plane and E-plane values are within 45 degrees of each other.
- C. Ensure that the antenna is rated for 802.11ac usage.
- D. Ensure that the antenna is designed for the frequency used by the radio.

Correct Answer: D

QUESTION 4

Which guidelines should an architect use to determine how many AirWave servers to recommend?

- A. One server should be deployed on every subnet with an infrastructure device.
- B. One server is recommended for the base features and one server each for add-on features such as Clarity.
- C. One server should be dedicated to the wired infrastructure and one server to the wireless infrastructure.
- D. One server should monitor and manage up to about 4,000 infrastructure devices.

Correct Answer: A

QUESTION 5

A customer currently has an Instant AP deployment.

Which customer requirement would indicate that the customer needs to add a controller to the deployment?

- A. the requirement to apply role-based firewall policies
- B. the requirement for a captive portal for guests
- C. the requirement to provide client-to-site VPN access for remote users
- D. the requirement for a cloud-based management solution

Correct Answer: D

[Latest HPE6-A47 Dumps](#)

[HPE6-A47 PDF Dumps](#)

[HPE6-A47 VCE Dumps](#)