

HPE6-A47^{Q&As}

Designing Aruba Solutions

Pass HP HPE6-A47 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.pass2lead.com/hpe6-a47.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by HP Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers



QUESTION 1

What is a key criteria that an architect should use to choose between an Aruba 7000 Series or 7200 Series Mobility Controller (MC)?

- A. the number of wireless devices that the MC needs to support
- B. whether the MC needs to terminate VPN tunnels
- C. the need to deploy controllers in a cluster
- D. whether the MC needs to support advanced 8.x features

Correct Answer: A

QUESTION 2

What is one important guideline for antenna selection?

- A. Ensure that the beam-width exceeds 100 degrees.
- B. Ensure that the H-plane and E-plane values are within 45 degrees of each other.
- C. Ensure that the antenna is rated for 802.11ac usage.
- D. Ensure that the antenna is designed for the frequency used by the radio.

Correct Answer: D

QUESTION 3


An architect learns that a customer site is 14,307 square meters (154,000 square feet) and supports 900 employees using WiFi 5 Ghz radio. What additional information should the architect collect to create the RF plan?

- A. number of devices used by each user
- B. the OS used on wireless devices
- C. whether BLE wayfinding is required
- D. software version on Mobility Controllers (MCs)

Correct Answer: A

QUESTION 4

Refer to the exhibit.



An architect selects 5406R switches for the aggregation layer.

What is an appropriate amount of bandwidth for the link aggregation between each aggregation layer VSF fabric and the campus core?

- A. 60 Gbps
- B. 160 Gbps
- C. 200 Gbps
- D. 320 Gbps

Correct Answer: C

QUESTION 5

A customer has very high availability requirements for wireless services. The architect plans to implement clustering on several Aruba Mobility Controllers (MCs).

Which benefit of this feature should the architect explain?

- A. Clustering provides wireless client load balancing and seamless failover for client sessions.
- B. Clustering provides high stability because one MC is active for all sessions and one is standby for all sessions.
- C. Clustering enables an AP with a failed MC to operate on its own briefly to ensure seamless connectivity.
- D. Clustering enables an AP with a failed MC to reconnect to a new AP after a short bootstrap.

Correct Answer: B

[Latest HPE6-A47 Dumps](#)

[HPE6-A47 Practice Test](#)

[HPE6-A47 Braindumps](#)