

HPE6-A66^{Q&As}

Aruba Certified Design Associate Exam

Pass HP HPE6-A66 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.pass2lead.com/hpe6-a66.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by HP Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers



QUESTION 1

A network architect wants to estimate the number of Aruba APs that will be needed for a new wireless design and determine the wireless coverage using VisualRF. The company requires a high-density design. The building has 200,000 square feet.

How many APs should the network architect add to VisualRF in order to perform the coverage analysis?

- A. 40
- B. 80
- C. 60
- D. 100

Correct Answer: C

QUESTION 2

A customer has some employees that travel to various locations, where these employees will need Wi-Fi access at these locations. Because many of these locations do not have wireless support, the employees will need to carry an AP solution with them. Internet connectivity, if it doesn't exist at these locations, will be provided by a national phone company USB wireless card which will be connected to AP. The wireless solution needs minimal bandwidth, but needs to

minimally support 802.11ac wave 1 devices.

Which Aruba AP wireless solution would meet the needs of these employees most effectively and cost efficiently?

- A. 318
- B. 303H
- C. 365
- D. 203R

Correct Answer: D

QUESTION 3

A network architect is doing a site survey for a new wireless design. One concern the company has with the old wireless network is coverage. In some cases, APs would lose power and some employees in the network would lose wireless connectivity. The new design needs to prevent this issue from occurring. During the site survey, what are best practices to be followed in regards to the dBm signal level and the power of the AP to ensure adequate wireless coverage and minimal overlap of AP signals for the new design?

- A. AP power at 75% and a measurement of -90 dBM on the measuring device
- B. AP power at 100% and a measurement of -65 dBM on the measuring device
- C. AP power at 75% and a measurement of -80 dBM on the measuring device
- D. AP power at 50% and a measurement of -65 dBM on the measuring device

Correct Answer: B

QUESTION 4

A customer requires a campus core virtualization solution that supports a dual control and management planes, as well as active-active forwarding paths. Which solution would meet the customer's requirements?

- A. Mesh stacking
- B. VSX
- C. Backplane stacking
- D. VSF

Correct Answer: C

QUESTION 5

A company needs an upgrade of its access layer switches. The solution requires that devices connected to the access layer be authenticated and their traffic processed by the firewall features of the Aruba Mobility Controllers. Which solution should the company implement?

- A. PAPI mobility
- B. Dynamic segmentation
- C. iPsec tunneling
- D. GRE tunneling

Correct Answer: C

[HPE6-A66 Practice Test](#)

[HPE6-A66 Exam Questions](#)

[HPE6-A66 Braindumps](#)