

# HPE6-A66<sup>Q&As</sup>

Aruba Certified Design Associate Exam

**Pass HP HPE6-A66 Exam with 100% Guarantee**

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.pass2lead.com/hpe6-a66.html>

100% Passing Guarantee  
100% Money Back Assurance

Following Questions and Answers are all new published by HP Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers



**QUESTION 1**

A company needs to replace an existing legacy wireless and wired solution with one that supports features like 802.11ax for APs and logical switching for switches. The company is located on a single floor with two wiring closets. Assume that there will be 10 APs connected via POE+ to each wiring closet, along with 36 wired user connections. All switches on a floor should be configured in a single stack. The distance between wiring closets is 100 feet (31 meters). Which switching solution will minimally provide 10 Gbps uplinks at the most cost-effective price, while still meeting the company's requirements?

- A. 2930M switches
- B. 2930F switches
- C. 5406R switches
- D. 3810M switches

Correct Answer: A

---

**QUESTION 2**

What is the main key for a network design to ensure users have a good experience running their applications?

- A. Provision adequate bandwidth.
- B. Provide appropriate AP density.
- C. Determine the number of users per location.
- D. Implement appropriate security controls

Correct Answer: B

---

**QUESTION 3**

A network architect will be using VisualRF to determine the appropriate wireless coverage for a new wireless design. Seamless, uninterrupted roaming is necessary for this design, since voice will need to be supported. Given these requirements, which information should be used in VisualRF to plan a cost effective solution that meets these requirements?

- A. Minimum -70db, 1 AP per 2,500 square feet, capacity design
- B. Minimum -65db, 1 AP per 2,500 square feet, high density design
- C. Minimum -80db, 1 AP per 1,000 square feet, very high-density design
- D. Minimum -70db, 1 AP per 5,000 square feet, high density design

Correct Answer: B

---

**QUESTION 4**

Which two challenges do 802.11g barcode scanners present to a WLAN design? (Select two.)

- A. roaming between APs
- B. encountering RF interference by devices
- C. determining the RF channel bandwidth consumed per Barcode scanner
- D. implementing adequate security measures to ensure PCI compliance
- E. providing consistent performance on all available channels

Correct Answer: DE

---

**QUESTION 5**

When determining a customer's agenda and clarifying their expectations for a new HPE/Aruba deployment, which two questions should be asked during the stakeholder checklist? (Select two.)

- A. What business problems are you trying to solve?
- B. What is the networking experience of onsite personnel?
- C. Which help desk system is deployed?
- D. is a request for proposal or actual bill of materials (BOM) required?
- E. What is your anticipated growth of the environment?

Correct Answer: AD

[Latest HPE6-A66 Dumps](#)

[HPE6-A66 PDF Dumps](#)

[HPE6-A66 Exam Questions](#)