

# HPE6-A68<sup>Q&As</sup>

Aruba Certified ClearPass Professional (ACCP) V6.7

## Pass HP HPE6-A68 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.pass2lead.com/hpe6-a68.html>

100% Passing Guarantee  
100% Money Back Assurance

Following Questions and Answers are all new published by HP Official Exam Center

- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers



**QUESTION 1**

Refer to the exhibit.

Summary	Policy	Mapping Rules
<b>Policy:</b>		
Policy Name:	WLAN role mapping	
Description:		
Default Role:	[Guest]	
<b>Mapping Rules:</b>		
Rules Evaluation Algorithm:	First applicable	
Conditions	Role Name	
1. (Authorization:remotelab AD:Department EQUALS Product Management) OR (Authorization:remotelab AD:UserDN EQUALS Executive)	Executive	
2. (Authorization:[Endpoints Repository]:OS Family EQUALS_IGNORE_CASE Windows)	Vendor	
3. (Authorization:[Endpoints Repository]:Category CONTAINS SmartDevice) AND (Authorization:[Endpoints Repository]:OS Family EQUALS_IGNORE_CASE Apple)	iOS Device	
4. (Authorization:remotelab AD:Department EQUALS HR) OR (Connection:NAD-IP-Address BELONGS_TO_GROUP HQ) OR (Date:Day-of-week NOT_BELONGS_TO Saturday, Sunday)	HR Local	
5. (Host:OSType CONTAINS Fedora) OR (Host:OSType CONTAINS Redhat) OR (Host:OSType CONTAINS Ubuntu)	Linux User	
6. (Connection:NAD-IP-Address BELONGS_TO_GROUP Remote NAD)	Remote Employee	

An AD user's department attribute value is configured as "QA". The user authenticates from a laptop running MAC OS X. Which role is assigned to the user in ClearPass?


- A. HR Local
- B. Remote Employee
- C. [Guest]
- D. Executive
- E. IOS Device

Correct Answer: C

None of the Listed Role Name conditions are met.

**QUESTION 2**

Refer to the exhibit.



Based on the information shown, what will be the outcome when the administrator chooses "Deny Access to this Device"? (Select two.)

- A. EAP-TLS Authentication will be unaffected
- B. The user can Onboard their device again
- C. A new device certificate will be automatically pushed out to the device
- D. The user cannot Onboard their device again
- E. EAP-TLS Authentication will fail


Correct Answer: DE

The Device Management (View by Device) page lists all devices and lets you manage the devices' access to the network. For each device, you can allow or deny network access. When you select the Deny option, a message advises you that any certificates associated with it will be revoked. The device cannot be re-enrolled as long as access is denied. To re-enroll the device, you must use this field to allow access again.

References: <http://www.arubanetworks.com/techdocs/ClearPass/6.6/Guest/Content/Onboard/DeviceManagement.htm>

**QUESTION 3**

Refer to the exhibit.



Which statements accurately describe the status of the Onboarded devices in the configuration for the network settings shown? (Select two.)

- A. They will connect to Employee\_Secure SSID after provisioning.
- B. They will connect to Employee\_Secure SSID for provisioning their devices.
- C. They will use WPA2-PSK with AES when connecting to the SSID.
- D. They will connect to secure\_emp SSID after provisioning.
- E. They will perform 802.1X authentication when connecting to the SSID.

Correct Answer: DE

#### QUESTION 4

Which collectors can be used for device profiling? (Select two.)

- A. Username and Password
- B. ActiveSync Plugin
- C. Client's role on the controller
- D. OnGuard agent
- E. Active Directory Attributes

Correct Answer: BD

#### QUESTION 5

Refer to the exhibit.

RADIUS Attributes				
Vendor Name:		Aruba (14823)		
#	Attribute Name	ID	Type	In/Out
1.	Aruba-User-Role	1.	Unsigned32	in out
2.	Aruba-User-Vlan	2.	Unsigned32	in out
3.	Aruba-Priv-Admin-User	3.	String	in out
4.	Aruba--Admin-Role	4.	String	in out
5.	Aruba-Essid-Name	5.	String	in out
6.	Aruba-Location-Id	6.	String	in out
7.	Aruba-Port-Id	7.	String	in out
8.	Aruba-Template-User	8.	String	in out
9.	Aruba-Named-Vlan	9.	String	in out
10.	Aruba-AP-Group	10.	String	in out

[Disable](#) [Export](#) [Close](#)

In the Aruba RADIUS dictionary shown, what is the purpose of the RADIUS attributes? In the Aruba RADIUS dictionary shown, what is the purpose of the RADIUS attributes?

- A. to send information via RADIUS packets to Aruba NADs
- B. to gather and send Aruba NAD information to ClearPass
- C. to send information via RADIUS packets to clients
- D. to gather information about Aruba NADs for ClearPass
- E. to send CoA packets from ClearPass to the Aruba NAD

Correct Answer: C

[HPE6-A68 PDF Dumps](#)

[HPE6-A68 Practice Test](#)

[HPE6-A68 Braindumps](#)