

HPE6-A78^{Q&As}

Aruba Certified Network Security Associate

Pass HP HPE6-A78 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.pass2lead.com/hpe6-a78.html>

100% Passing Guarantee
100% Money Back Assurance


Following Questions and Answers are all new published by HP Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers



QUESTION 1

Refer to the exhibit.



You have set up a RADIUS server on an ArubaOS Mobility Controller (MC) when you created a WLAN named "MyEmployees . You now want to enable the MC to accept change of authorization (CoA) messages from this server for wireless sessions on this WLAN.

What Is a part of the setup on the MC?

- A. Create a dynamic authorization, or RFC 3576, server with the 10.5.5.5 address and correct shared secret.
- B. Install the root CA associated with the 10 5.5.5 server\\'s certificate as a Trusted CA certificate.
- C. Configure a ClearPass username and password in the MyEmployees AAA profile.
- D. Enable the dynamic authorization setting in the "clearpass" authentication server settings.

Correct Answer: B

QUESTION 2

Refer to the exhibit.

System Event Details	
Source	RADIUS
Level	ERROR
Category	Authentication
Action	Unknown
Timestamp	Feb 06, 2020 04:41:51 EST
Description	RADIUS authentication attempt from unknown NAD 10.1.10.8:1812

You are deploying a new ArubaOS Mobility Controller (MC), which is enforcing authentication to Aruba ClearPass Policy Manager (CPPM). The authentication is not working correctly, and you find the error shown in the exhibit in the CPPM Event Viewer.

What should you check?

- A. that the MC has been added as a domain machine on the Active Directory domain with which CPPM is synchronized
- B. that the shared secret configured for the CPPM authentication server matches the one defined for the device on CPPM
- C. that the IP address that the MC is using to reach CPPM matches the one defined for the device on CPPM
- D. that the MC has valid admin credentials configured on it for logging into the CPPM

Correct Answer: C

QUESTION 3

What are some functions of an ArubaOS user role?

- A. The role determines which authentication methods the user must pass to gain network access
- B. The role determines which firewall policies and bandwidth contract apply to the clients traffic
- C. The role determines which wireless networks (SSIDs) a user is permitted to access
- D. The role determines which control plane ACL rules apply to the client's traffic

Correct Answer: A

QUESTION 4

What is an example of phishing?

- A. An attacker sends TCP messages to many different ports to discover which ports are open.

- B. An attacker checks a user's password by using trying millions of potential passwords.
- C. An attacker lures clients to connect to a software-based AP that is using a legitimate SSID.
- D. An attacker sends emails posing as a service team member to get users to disclose their passwords.

Correct Answer: D

QUESTION 5

How does the ArubaOS firewall determine which rules to apply to a specific client's traffic?

- A. The firewall applies every rule that includes the client's IP address as the source
- B. The firewall applies the rules in policies associated with the client's wlan
- C. The firewall applies three rules in policies associated with the client's user role
- D. The firewall applies every rule that includes the client's IP address as the source or destination

Correct Answer: A

[HPE6-A78 PDF Dumps](#)

[HPE6-A78 Study Guide](#)

[HPE6-A78 Exam Questions](#)