

JN0-104^{Q&As}

Junos, Associate (JNCIA-Junos)

Pass Juniper JN0-104 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.pass2lead.com/jn0-104.html>

100% Passing Guarantee
100% Money Back Assurance


Following Questions and Answers are all new published by Juniper
Official Exam Center

- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers



QUESTION 1

A user has entered the sequence of commands shown in the exhibit



```
[edit]
user@router# edit interfaces
[edit interfaces]
user@router# edit ge-0/0/0 unit 0 family inet
[edit interfaces ge-0/0/0 unit 0 family inet]
user@router# exit
```

At which level of the configuration hierarchy would the user be after typing the exit command?

- A. [edit]
- B. [edit interfaces ge-0/0/0]
- C. [edit interfaces ge-0/0/0 unit 0]
- D. [edit interfaces]

Correct Answer: D

```
abc# edit interfaces
```

```
[edit interfaces]
```

```
abc# edit ge-0/0/1 unit 0 family inet
```

```
[edit interfaces ge-0/0/1 unit 0 family inet]
```

```
abc# exit
```

```
[edit interfaces]
```

QUESTION 2

Host A is communicating with Host B through a Layer 2 switch.

What is the highest layer that the switch will inspect the traffic in this scenario?

- A. Data Link
- B. Transport
- C. Network

D. Session

Correct Answer: A

QUESTION 3

Which two statements are correct about the request system zeroize local command? (Choose two.)

- A. The command preserves the management interface addresses.
- B. The command resets all key values.
- C. The command removes all data files.
- D. The command removes all user-created files from the system.

Correct Answer: BD

QUESTION 4

What are two benefits realized by the disaggregated Junos? (Choose two.)

- A. There is increased flexibility to use different control plane versions.
- B. The Junos VM becomes hardware-independent and can be deployed on any hypervisor without modification.
- C. The architecture facilitates programmability through provisioning the control plane, the data path, and the platform APIs.
- D. The platform drivers and forwarding engine are removed from the control plane to increase performance.

Correct Answer: CD

QUESTION 5

Click the Exhibit button A packet destined to the 172.27. 102.65 IP address is received by the ge-0/0/1.0 interface on your Junos device. The input firewall filter shown in the exhibit is applied to the ge- 0/0/1.0 interface. Which two actions are performed in this scenario? (Choose two.)

```
Exhibit

[edit firewall family inet filter input-ff]
user@router# show
term else-accept {
  then {
    count outbound-accepted;
    accept;
  }
}
term discard-outbound-traffic {
  from {
    source-address {
      0.0.0.0/0;
      172.27.102.0/24 except;
    }
  }
  then {
    log;
    discard;
  }
}
```

- A. The packet is logged
- B. The packet is accepted
- C. The packet is counted
- D. The packet is discarded.

Correct Answer: BC

[Latest JN0-104 Dumps](#)

[JN0-104 VCE Dumps](#)

[JN0-104 Exam Questions](#)