

# JN0-334<sup>Q&As</sup>

Security-Specialist (JNCIS-SEC)

## Pass Juniper JN0-334 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.pass2lead.com/jn0-334.html>

100% Passing Guarantee  
100% Money Back Assurance

Following Questions and Answers are all new published by Juniper  
Official Exam Center

- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers



**QUESTION 1**

Which three statements are true about the difference between cSRX-based virtual security deployments and vSRX-based virtual security deployments? (Choose three.)

- A. vSRX provides Layer 2 to Layer 7 secure services and cSRX provides Layer 4 to Layer 7 secure services.
- B. cSRX requires less storage and memory space for a given deployment than vSRX-based solutions.
- C. cSRX-based solutions are more scalable than vSRX-based solutions.
- D. vSRX and cSRX both provide Layer 2 to Layer 7 secure services.
- E. vSRX provides faster deployment time and faster reboots compared to cSRX.

Correct Answer: ABC

Reference: [https://www.juniper.net/documentation/en\\_US/day-one-books/topics/concept/juniper-vsrxversus-csrx.html](https://www.juniper.net/documentation/en_US/day-one-books/topics/concept/juniper-vsrxversus-csrx.html)

---

**QUESTION 2**

You are troubleshooting advanced policy-based routing (APBR). Which two actions should you perform in this scenario? (Choose two.)

- A. Verify that the APBR profiles are applied to the egress zone.
- B. Verify inet.0 for correct route leaking.
- C. Review the APBR statistics for matching rules and route modifications.
- D. Inspect the application system cache for the application entry.

Correct Answer: CD

---

**QUESTION 3**

What are three primary functions of JATP? (Choose three.)


- A. detection
- B. encryption
- C. optimization
- D. analytics
- E. mitigation

Correct Answer: ADE

---

**QUESTION 4**

Click the Exhibit button.



```
user@srx> show chassis cluster status redundancy-group 1
Cluster: 1, Redundancy-Group: 1
  Device name  Priority  Status    Preempt  Manual failover
  node0       200     Secondary No        Yes
  node1       255     Primary  No        Yes
```

Which two statements describe the output shown in the exhibit? (Choose two.)

- A. Node 0 is passing traffic for redundancy group 1.
- B. Redundancy group 1 experienced an operational failure.
- C. Redundancy group 1 was administratively failed over.
- D. Node 1 is passing traffic for redundancy group1.

Correct Answer: CD

**QUESTION 5**

Which statement about the control link in a chassis cluster is correct?

- A. A cluster can have redundant control links.
- B. Recovering from a control link failure requires a reboot.
- C. The control link heartbeats contain the configuration file of the nodes.
- D. The control messages sent over the link are encrypted by default.

Correct Answer: A

Reference: [https://www.juniper.net/documentation/en\\_US/junos/topics/topic-map/security-chassis-clusterdual-control-links.html](https://www.juniper.net/documentation/en_US/junos/topics/topic-map/security-chassis-clusterdual-control-links.html)

[JN0-334 VCE Dumps](#)

[JN0-334 Practice Test](#)

[JN0-334 Braindumps](#)