

# JN0-347<sup>Q&As</sup>

Enterprise Routing and Switching, Specialist (JNCIS-ENT)

## Pass Juniper JN0-347 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.pass2lead.com/jn0-347.html>

100% Passing Guarantee  
100% Money Back Assurance


Following Questions and Answers are all new published by Juniper  
Official Exam Center

- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers



**QUESTION 1**

Click the Exhibit button.



Referring to the exhibit, which effect does the configuration on R2 have on OSPF routing in the network?

- A. R2 will block traffic destined to the 192.168.10.0/24 network.
- B. A summary route for the 192.168.10.0/24 network will be advertised to Area 0.
- C. The 192.168.10.0/24 route will not be advertised to Area 1.
- D. Area 2 will use a default route to reach Area 0 and Area 1.

Correct Answer: C

**QUESTION 2**

Which Junos feature allows you to combine multiple interfaces into a single bundle?

- A. VRRP
- B. Virtual Chassis
- C. LAG
- D. NSB

Correct Answer: C

**QUESTION 3**

Which three BGP attributes are well-known and mandatory? (Choose three.)

- A. AS Path
- B. Next Hop
- C. MED
- D. Local Preference
- E. Origin

Correct Answer: ABE

---

**QUESTION 4**

What is reviewed first in the BGP route selection process?

- A. the peer with the lowest IP address
- B. the route with an origin of incomplete
- C. the path with no MED value
- D. the next-hop resolution

Correct Answer: D

---


**QUESTION 5**

Switch-1 in the exhibit receives a packet from User A with a destination MAC address of 00:26:88:02:74:47.

Which statement is correct in this scenario?

- A.  
Switch-1 floods the packet out ge-0/0/6, ge-0/0/7, ge-0/0/8, and ge-0/0/9.
- B.  
Switch-1 floods the packet out ge-0/0/7 and ge-0/0/8.
- C.  
Switch-1 floods the packet out ge-0/0/7, ge-0/0/8, and ge-0/0/9.
- D.

Switch-1 sends the packet out ge-0/0/7 only.



Correct Answer: C

To forward a frame destined to that specific mac -address, it will know out of which port to send the frame. Flooding however occurs when the switch does not know of the destination mac - address? say the switch has not learnt that mac address yet; or maybe that specific entry expired so it got flushed away from the mac-address table. To ensure the frame reaches its intended destination, the switch will replicate that frame out of all ports, less the port where the frame was received that's flooding.