

# JN0-347<sup>Q&As</sup>

Enterprise Routing and Switching, Specialist (JNCIS-ENT)

## Pass Juniper JN0-347 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.pass2lead.com/jn0-347.html>

100% Passing Guarantee  
100% Money Back Assurance

Following Questions and Answers are all new published by Juniper  
Official Exam Center

- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers



**QUESTION 1**

You are troubleshooting your OSPF configuration and notice that you have subnet mismatch errors when running the show ospf statistics command.

Which two actions would further troubleshoot the errors? (Choose two.)

- A. Examine your interface configuration on impacted devices.
- B. Examine the interface assignment to areas in your OSPF configuration.
- C. Examine the stub configuration for mismatches.
- D. Examine messages from the trace options log file.

Correct Answer: AD

---

**QUESTION 2**

Click the Exhibit button.

```
{master:0}[edit]
user@host# show interfaces
ge-0/0/0 {
  unit 0 {
    family ethernet-switching {
      interface-mode access;
      vlan {
        members 101;
      }
    }
  }
}
ge-0/0/1 {
  unit 0 {
    family ethernet-switching {
      vlan {
        members office;
      }
    }
  }
}
ge-0/0/2 {
  unit 0 {
    family ethernet-switching {
      interface-mode trunk;
      vlan {
        members all;
      }
    }
  }
}

{master:0}[edit]
user@host# show vlans
office {
  vlan-id 101;
}

{master:0}[edit]
user@host# run show vlans

Routing instance      VLAN name      Tag      Interfaces
default-switch        default        1        ge-0/0/2.0*
default-switch        office         101      ge-0/0/0.0*
                    ge-0/0/1.0*
                    ge-0/0/2.0*
```

Referring to the exhibit, which three statements are true? (Choose three.)

A. Interface ge-0/0/1 is an access port.

- B. There are no active ports in the default VLAN.
- C. The switch cannot be managed through the production network.
- D. Frames on interface ge-0/0/2 can be tagged with VLAN ID 101 or VLAN 1.
- E. Frames on interface ge-0/0/0 can be tagged with VLAN ID 101.

Correct Answer: ACE

---

### QUESTION 3

Click the Exhibit button. Referring to the exhibit, which policy will export routes to IBGP peers?

```
Exhibit
[edit protocols bgp]
user@router# show
preference 150;
keep all;
mtu-discovery;
export static-1;
remove-private;
top-mss 4096;
group one {
    export static-2;
    peer-as 2;
    neighbor 10.1.0.1 {
        export static-3;
    }
}
group two {
    type internal;
    local-address 192.168.1.11;
    export static-4;
    local-as 1;
    neighbor 192.168.1.12;
    neighbor 192.168.1.13
}
```

- A. static-4
- B. static-1
- C. static-3
- D. static-2

Correct Answer: A

Explanation; Type internal in group two indicates refers to an IBGP route.

---

**QUESTION 4**

Which three BGP attributes are well-known and mandatory? (Choose three.)

- A. AS Path
- B. Next Hop
- C. MED
- D. Local Preference
- E. Origin

Correct Answer: ABE

---

**QUESTION 5**

Which statement is true about GRE tunnels?

- A. GRE tunnels can be used for only IP packets.
- B. GRE tunnels ensure that a packet does not live forever.
- C. Packets are encapsulated unchanged before entering the tunnel.
- D. GRE tunnels support point-to-multipoint.

Correct Answer: C

[JN0-347 PDF Dumps](#)

[JN0-347 VCE Dumps](#)

[JN0-347 Braindumps](#)