

# JN0-362<sup>Q&As</sup>

Service Provider Routing and Switching - Specialist (JNCIS-SP)

## Pass Juniper JN0-362 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.pass2lead.com/jn0-362.html>

100% Passing Guarantee  
100% Money Back Assurance

Following Questions and Answers are all new published by Juniper  
Official Exam Center

- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers



### QUESTION 1

Which two statements are true when considering logical systems? (Choose two.)

- A. Logical systems do not support nonstop active routing
- B. Logical systems share the master routing table and can create routing instances
- C. Logical tunnels cannot be used to connect logical systems
- D. Logical systems provide management separation by providing user access per logical system

Correct Answer: CD

Reference: [https://www.juniper.net/documentation/en\\_US/junos/topics/topic-map/security-logical-systemsfor-routers-and-switches.html](https://www.juniper.net/documentation/en_US/junos/topics/topic-map/security-logical-systemsfor-routers-and-switches.html)

---

### QUESTION 2

What is the correct description of an Area Border Router (ABR)?

- A. An ABR is an OSPF router with links in two areas, connecting OSPF areas to the backbone
- B. An ABR is an OSPF router that injects routing information from outside the OSPF AS
- C. An ABR is an OSPF router with at least one link in a Layer 2 area
- D. An ABR is an OSPF router with all of its links within an area

Correct Answer: A

---

### QUESTION 3

Click the Exhibit button.

```
[edit]
user@r1# show protocols mpls
no-cspf;
label-switched-path r1-to-r3 {
    to 192.168.100.1;
    bandwidth 500m;
}
```

Referring to the exhibit, which statement is true?

- A. The router will attempt to signal the LSP along the IGP shortest path to 192.168.100.1

- B. The router will prune links with insufficient bandwidth from the path before beginning the signaling process
- C. The router will analyze the traffic engineering database to determine the best path through the network
- D. The router will precalculate a valid path through the network for LSP r1-to-r3

Correct Answer: B

#### QUESTION 4

To which multicast address is a VRRP advertisement packet sent?

- A. 224.0.0.6
- B. 224.0.0.18
- C. 224.0.0.22
- D. 224.0.0.13

Correct Answer: B

Reference: <https://tools.ietf.org/html/rfc3768>

#### QUESTION 5

Click the Exhibit button.

```
user@router> show route 0/0 exact detail

inet.0: 14 destinations, 14 routes (14 active, 0 holddown, 0 hidden)
0.0.0.0/0 (1 entry, 1 announced)
  *Aggregate Preference: 130
    Next hop type: Router, Next hop index: 546
    Next-hop reference count: 4
    Next hop: 172.27.25.1 via ge-0/0/1.100, selected
    State: <Active Int Ext>
    Local AS: 65400
    Age: 1:03:46
    Task: Aggregate
    Announcement bits (2): 0-KRT 2-OSPF
    AS path: I
                                Flags: Generate Depth: 0           Active
Contributing Routes (1):
    184.0.0.0/16 proto BGP
```

Which type of route is shown in the exhibit?

- A. generate

B. static

C. kernel

D. aggregate

Correct Answer: A

Reference: <https://dataplumber.wordpress.com/2012/02/22/whats-the-difference-between-an-aggregateand-a-generate-route-in-junos/#:~:text=What%20different%20is%20that%20the,route%20matching%20the%20packet%20destination.>

[JN0-362 PDF Dumps](#)

[JN0-362 Study Guide](#)

[JN0-362 Exam Questions](#)