

JN0-362^{Q&As}

Service Provider Routing and Switching - Specialist (JNCIS-SP)

Pass Juniper JN0-362 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

https://www.pass2lead.com/jn0-362.html

100% Passing Guarantee 100% Money Back Assurance

Following Questions and Answers are all new published by Juniper Official Exam Center

Instant Download After Purchase

100% Money Back Guarantee

- 😳 365 Days Free Update
- 800,000+ Satisfied Customers





QUESTION 1

You are asked to change the default TTL handling behavior on your Junos device to ensure that the RSVP-signaled LSPs in your MPLS network cannot be mapped.

Which configuration should be performed to accomplish this task?

- A. Configure the no-decrement-ttl parameter for each LSP on the ingress device
- B. Configure the no-propagate-ttl parameter for each LSP on the egress device
- C. Configure the no-propagate-ttl parameter for each LSP on the ingress device
- D. Configure the no-decrement-ttl parameter for each LSP on the egress device

Correct Answer: B

QUESTION 2

What is the purpose of STP BPDUs?

- A. to exchange MAC addresses
- B. to determine the least cost path
- C. to determine the root-alternate port
- D. to determine the root bridge

Correct Answer: B

QUESTION 3

Which two statements describe operations performed by the encapsulating tunnel endpoint in an IP-IP tunnel? (Choose two.)

A. It decrements the time-to-live (TTL) counter by one in the inner IP header

- B. It modifies the source and destination addresses in the inner IP header
- C. It adds an outer IP header with the destination address of the remote tunnel endpoint
- D. It creates and adds a new inner IP header with the remote destination device\\'s IP address

Correct Answer: AC

QUESTION 4

The IPv6 Neighbor Discovery Protocol (NDP) performs the same function as which two IPv4 protocols? (Choose two.)



- A. ICMP
- B. ARP
- C. DNS
- D. DHCP
- Correct Answer: AB

Reference: https://www.juniper.net/documentation/en_US/junos/topics/topic-map/ipv6-neighbordiscovery.html#:~:text=N eighbor%20discovery%20for%20IPv6%20replaces,Discovery%20protocol%20 (NDP)%20messages.

QUESTION 5

Click the Exhibit button.

```
[edit]
user@rl# show protocols mpls
no-cspf;
label-switched-path r1-to-r3 {
    to 192.168.100.1;
    bandwidth 500m;
}
```

Referring to the exhibit, which statement is true?

- A. The router will attempt to signal the LSP along the IGP shortest path to 192.168.100.1
- B. The router will prune links with insufficient bandwidth from the path before beginning the signaling process
- C. The router will analyze the traffic engineering database to determine the best path through the network
- D. The router will precalculate a valid path through the network for LSP r1-to-r3

```
Correct Answer: B
```

Latest JN0-362 Dumps

JN0-362 PDF Dumps

JN0-362 Study Guide