

JN0-635^{Q&As}

Security, Professional

Pass Juniper JN0-635 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.pass2lead.com/jn0-635.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Juniper
Official Exam Center

- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers



QUESTION 1

You opened a support ticket with JTAC for your Juniper ATP appliance. JTAC asks you to set up access to the device using the reverse SSH connection. Which three settings must be configured to satisfy this request? (Choose three.)

- A. Enable JTAC remote access
- B. Create a temporary root account.
- C. Enable a JATP support account.
- D. Create a temporary admin account.
- E. Enable remote support.

Correct Answer: CDE

Reference:

<https://kb.juniper.net/InfoCenter/index?page=content&id=TN326&cat=andactp=LISTandshowDraft=false>

QUESTION 2

Click the Exhibit button.

```
[edit protocols ospf area 0.0.0.0]
user@srx# show
interface ge-0/0/4.0 {
    passive;
}
interface ge-0/0/5.0 {
    passive;
}
interface ge-0/0/6.0 {
    passive;
}
interface st0.0 {
    interface-type p2mp;
}
```

You have configured an ADVPN that is operational. However, OSPF will not establish correctly across the ADVPN tunnels.

Referring to the exhibit, which two commands will solve the problem? (Choose two.)

- A. [edit protocols ospf area 0.0.0.0] user@srx# set interface st0.0 dynamic-neighbors
- B. [edit protocols ospf area 0.0.0.0] user@srx# set interface st0.0 topology advpn
- C. [edit protocols ospf area 0.0.0.0] user@srx# set interface st0.0 interface-type nbma
- D. [edit protocols ospf area 0.0.0.0] user@srx# set interface st0.0 demand-circuit

Correct Answer: AD

Reference: https://www.juniper.net/documentation/en_US/junos/topics/topic-map/security-auto-discoveryvpns.html

QUESTION 3

Your organization has multiple Active Directory domains to control user access. You must ensure that security policies are passing traffic based upon the users' access rights.

What would you use to assist your SRX Series devices to accomplish this task?

- A. JATP Appliance
- B. JIMS
- C. JSA
- D. Junos Space

Correct Answer: B

Reference: https://www.juniper.net/documentation/en_US/junos/topics/topic-map/security-user-authintergrated-user-firewall-overview.html

QUESTION 4

Click the Exhibit button.

```
user@srx> show security flow session
Session ID: 11232, Policy name: Allow-ipv6-Telnet/11, Timeout: 1788, Valid
  In: 2001:db8::1/57707 --> 2001:db8::8/23;tcp, Conn Tag: 0x0, If: vlan.101,
Pkts: 9, Bytes: 799,
  Out: 10.8.8.8/23 --> 10.7.7.5/21868;tcp, Conn Tag: 0x0, If: ge-0/0/2.0,
Pkts: 8, Bytes: 589,
Total sessions: 1
```

Which type of NAT is shown in the exhibit?

- A. NAT46
- B. NAT64
- C. persistent NAT
- D. DS-Lite

Correct Answer: B

QUESTION 5

You are connecting two remote sites to your corporate headquarters site; you must ensure that all traffic is secured and

only uses a single Phase 2 SA for both sites.

In this scenario, which VPN should be used?

- A. An IPsec group VPN with the corporate firewall acting as the hub device.
- B. Full mesh IPsec VPNs with tunnels between all sites.
- C. A hub-and-spoke IPsec VPN with the corporate firewall acting as the hub device.
- D. A full mesh Layer 3 VPN with the corporate firewall acting as the hub device.

Correct Answer: A

Reference: <https://www.juniper.net/us/en/local/pdf/app-notes/3500202-en.pdf>

[JN0-635 Practice Test](#)

[JN0-635 Study Guide](#)

[JN0-635 Exam Questions](#)