

JN0-662^{Q&As}

Service Provider Routing and Switching - Professional (JNCIP-SP)

Pass Juniper JN0-662 Exam with 100% Guarantee

Free Download Real Questions & Answers PDF and VCE file from:

https://www.pass2lead.com/jn0-662.html

100% Passing Guarantee 100% Money Back Assurance

Following Questions and Answers are all new published by Juniper
Official Exam Center

- Instant Download After Purchase
- 100% Money Back Guarantee
- 365 Days Free Update
- 800,000+ Satisfied Customers





QUESTION 1

Which transport mechanism is required for Layer 3 VPNs?

- A. GRE
- B. VXLAN
- C. IPsec
- D. MPLS

Correct Answer: D

QUESTION 2

Click the Exhibit button.

```
user@R1# show routing-instances
vpn-a {
   instance-type 12vpn;
   interface ge-0/0/1.512;
   interface ge-0/0/1.513;
   route-distinguisher 192.168.1.1:1;
   vrf-import import-vpn-a;
   vrf-export export-vpn-a;
   protocols {
      12 vpn {
          encapsulation-type ethernet-vlan;
          site CE-A {
             site-identifier 1;
             interface ge-0/0/1.512;
             interface ge-0/0/1.513;
          }
      )
   }
}
```

You have configured a BGP-signaled Layer 2 VPN with the configuration shown in the exhibit. Which two statements are true in this situation? (Choose two.)

- A. Remote site 1 is dual-homed.
- B. The local site is site ID 1.
- C. The route-distinguisher is in the wrong format.

https://www.pass2lead.com/jn0-662.html

2024 Latest pass2lead JN0-662 PDF and VCE dumps Download

D. Interface ge-0/0/I.512 is connected to the local site

Correct Answer: AB

QUESTION 3

Which message type initiates the BGP session?

- A. update
- B. open
- C. keepalive
- D. notification

Correct Answer: B

QUESTION 4

Click the Exhibit button.

user@router> show evpn database Instance: default-switch VLAN DomainId MAC address

00:20:30:02:00:10 22030 22030 02:00:30:00:00:01 Active source 00:24:24:24:24:24:24:24:24:24 05:00:00:fe:4d:00:00:56:0e:00

Timestamp Feb 27 16:26:57 Feb 23 21:03:15 10.230.0.1

IP address 10.230.10.10

Which two statements are true regarding the output shown in the exhibit? (Choose two.)

- A. Both ESIs are generated from the router ID.
- B. Both ESIs use the same VNI.
- C. The ESI 05:00:00:fe:4d:00:00:56:0e:00 is an auto-generated ESI.
- D. The ESI 00:24:24:24:24:24:24:24 is an auto-generated ESI.

Correct Answer: BC

QUESTION 5

You want to use IS-IS on a GRE interface where the underlying Layer 3 MTU is 1500.

Which statement is correct in this scenario?



https://www.pass2lead.com/jn0-662.html

2024 Latest pass2lead JN0-662 PDF and VCE dumps Download

- A. IS-IS can be used because every IS-IS interface must be capable of transmitting packets at least as large as 1476 bytes, and the GRE header is 24 bytes.
- B. IS IS can be used, but the networking device directly attached to the circuit must be capable of fragmentation.
- C. IS-IS cannot be used, but the router can enable a GRE key that serves the same function as IS-IS.
- D. IS-IS cannot be used because the IS-IS hello is not allowed to be fragmented and has the DF bit set.

Correct Answer: B

JN0-662 Practice Test

JN0-662 Exam Questions

JN0-662 Braindumps