

LCP-001^{Q&As}

Linux Certified Professional (LCP) Powered by LPI

Pass GAQM LCP-001 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.pass2lead.com/lcp-001.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by GAQM
Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers



QUESTION 1

Which of the following commands will print the amount of disk space used by files specified on the command line?

- A. dc
- B. dd
- C. df
- D. du

Correct Answer: D

QUESTION 2

You wish to kill a process with a PID of 123. Select the command which will allow the process to "clean up" before exiting.

- A. kill -1 123
- B. kill -9 123
- C. kill -15 123
- D. kill -17 123

Correct Answer: C

To terminate the process we use kill command. But we should know the process ID. In QUESTION:s PID is specified to 123. Syntax of kill command is: kill signal PID Where -9 is the powerful signal then other signal which kill the process.

QUESTION 3

The system configuration file named _____ is commonly used to set the default runlevel. (Please provide the fill name with full path information) Answer:

- A. /etc/inittab

Correct Answer: A

QUESTION 4

Which command is used to enable disk quotas on a particular filesystem? (Provide only the command, with no options or parameters)

A. quotaon

B. /sbin/quotaon

Correct Answer: AB

QUESTION 5

You are about to install a new program on an RPM based Linux system. Which of the following would be the best way to accomplish this?

A. Get the source code in a tarball and install from that source.

B. Get a source RPM and use rpm to install it.

C. Use rpm to install the program's binaries from an RPM package.

D. Use cpi to extract the binaries from a source RPM and use rpm to install those sources.

Correct Answer: C

[Latest LCP-001 Dumps](#)

[LCP-001 PDF Dumps](#)

[LCP-001 VCE Dumps](#)