

LFCS^{Q&As}

Linux Foundation Certified System Administrator

Pass Linux Foundation LFCS Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.pass2lead.com/lfcs.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Linux Foundation Official Exam Center

- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers



QUESTION 1

Which of the following options for the kernel's command line changes the systemd boot target to rescue.target instead of the default target?

- A. systemd.target=rescue.target
- B. systemd.runlevel=rescue.target
- C. systemd.service=rescue.target
- D. systemd.default=rescue.target
- E. systemd.unit=rescue.target

Correct Answer: E

QUESTION 2

What output will the following command produce?

seq 1 5 20

- A. 1 6 1 1 1 6
- B. 1 5 10 15
- C. 1 2 3 4
- D. 2 3 4 5
- E. 5 10 15 20

Correct Answer: A

QUESTION 3

Which of the following commands displays the contents of a gzip compressed tar archive?

- A. gzip archive.tar | tar xvf
- B. tar ztf archive.tar
- C. gzip -d archive.tar | tar tvf
- D. tar cf archive.tar

Correct Answer: B

QUESTION 4

Which of the following file permissions belong to a symbolic link?

- A. -rwxrwxrwx
- B. +rwxrwxrwx
- C. lrwxrwxrwx
- D. srwxrwxrwx

Correct Answer: C

QUESTION 5

After moving data to a new filesystem, how can the former path of the data be kept intact in order to avoid reconfiguration of existing applications? (Choose TWO correct answers.)

- A. By creating an ACL redirection from the old to the new path of the data.
- B. By creating a hard link from the old to the new path of the data.
- C. By creating a symbolic link from the old to the new path of the data.
- D. By running the command touch on the old path.
- E. By mounting the new filesystem on the original path of the data.

Correct Answer: CE

[Latest LFCS Dumps](#)

[LFCS Exam Questions](#)

[LFCS Braindumps](#)