

# N10-007<sup>Q&As</sup>

CompTIA Network+ Certification Exam

## Pass CompTIA N10-007 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.pass2lead.com/n10-007.html>

100% Passing Guarantee  
100% Money Back Assurance

Following Questions and Answers are all new published by CompTIA  
Official Exam Center

- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers



**QUESTION 1**

Which of the following security mechanisms dynamically assigns a Layer 2 address and restricts traffic only to that Layer 2 address?

- A. Sticky MAC
- B. 802.1x
- C. ACL
- D. NAC

Correct Answer: A

---

**QUESTION 2**

Which of the following is networking stand-alone hardware that will permit any WiFi-compliant device to connect to a network?

- A. Wireless hub
- B. Wireless firewall
- C. Wireless access point
- D. Wireless bridge

Correct Answer: C

---

**QUESTION 3**

A network analyst is troubleshooting a connectivity issue between switch A and switch B. The switches are configured with the following subnets:

VLAN ID	Subnet
VLAN 10	10.1.10.0/24
VLAN 13	10.1.20.0/24
VLAN 16	10.1.30.0/24

Clients in VLANs 10 and 16 can communicate between switch A and switch B, but clients in VLAN 13 can communicate only with other clients on the same switch. Which of the following is the MOST likely cause?

- A. 802.1Q mismatch

- B. Performance bottleneck
- C. Incorrect netmask
- D. Port security

Correct Answer: A

---

#### QUESTION 4

A switch vendor recently released a patch to fix a critical vulnerability found in its switch OS. Which of the following should a network administrator do NEXT according to best practices?

- A. Test the patch in a test environment.
- B. Put the patch into production immediately.
- C. Put the patch into production with a rollback plan.
- D. Choose a single production switch and pilot the patch.
- E. Put the patch into production at the next maintenance window.

Correct Answer: A

---

#### QUESTION 5

A network technician receives a new firmware update for a network device. The technician wants to ensure the file has not been tampered with. Which of the following techniques should the technician use to ensure the integrity of the file?

- A. Cyclic redundancy check
- B. System integrity check
- C. Hash comparison
- D. Root guard

Correct Answer: C

[N10-007 VCE Dumps](#)

[N10-007 Practice Test](#)

[N10-007 Study Guide](#)