

NCLEX-PN^{Q&As}

National Council Licensure Examination(NCLEX-PN)

Pass NCLEX NCLEX-PN Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

https://www.pass2lead.com/nclex-pn.html

100% Passing Guarantee 100% Money Back Assurance

Following Questions and Answers are all new published by NCLEX
Official Exam Center

- Instant Download After Purchase
- 100% Money Back Guarantee
- 365 Days Free Update
- 800,000+ Satisfied Customers



https://www.pass2lead.com/nclex-pn.html

2024 Latest pass2lead NCLEX-PN PDF and VCE dumps Download

QUESTION 1
When giving an intramuscular injection to an infant. Which of the following sites is preferred?
A. Ventrogluteal region
B. Deltoid
C. Vastus lateralis
D. Dorsogluteal region
Correct Answer: C
Vastus lateralis is the ideal choice for infants.
QUESTION 2
The NSAID that is comparable to morphine in efficacy is
The NSAID that is comparable to morphine in efficacy is
The NSAID that is comparable to morphine in efficacy is A. Feldene
The NSAID that is comparable to morphine in efficacy is A. Feldene B. Stodal
The NSAID that is comparable to morphine in efficacy is A. Feldene B. Stodal C. Toradol
The NSAID that is comparable to morphine in efficacy is A. Feldene B. Stodal C. Toradol D. Elavil

QUESTION 3

Which statement about glaucoma is true and accurate?

- A. Acute angle-closure glaucoma is an ocular emergency.
- B. Acute angle-closure glaucoma leads to the loss of peripheral vision and tunnel vision.
- C. Primary open-angle glaucoma leads to eye pain, nausea and vomiting, blurry vision and halos.
- D. Bubbles are implanted to protect the retina from the glaucoma.

Correct Answer: A

Acute angle-closure glaucoma is an ocular emergency and it is characterized with eye pain, nausea and vomiting, blurry vision and halos.

The signs and symptoms of primary open-angle glaucoma are the loss of peripheral vision and tunnel



https://www.pass2lead.com/nclex-pn.html 2024 Latest pass2lead NCLEX-PN PDF and VCE dumps Download

vision.	
Bubbles are placed to treat retinal detachments, another ocular emergency and laser peripheral iridotomy	
to decrease intraocular pressure is used for the treatment of glaucoma.	
QUESTION 4	
The intravenous route is potentially the most dangerous route of drug administration because	
A. the IV might infiltrate	
B. it is expensive and nursing intensive	
C. rapid administration of a drug can lead to toxicity	
D. the client always has more side effects	
Correct Answer: C	
The bioavailability of the injected medication is 100% and might lead to toxicity.	
An IV infiltration can cause serious problems with tissue necrosis, but this is not life threatening.	
Expensive and time consuming do not equate with dangerous.	
Choice "the client always has more side effects" is not always true.	
QUESTION 5	
The nurse provides a postoperative client with an analgesic medication and darkens the room before the client goes sleep for the night.	to
The nurse\\'s actions	
A. help the client\\'s circadian rhythm	
B. stimulate hormonal changes in the brain	
C. decrease stimuli from the cerebral cortex	
D. alert the hypothalamus in the brain	
Correct Answer: C	
Reduction of environmental stimuli (particularly light and noise) from the cerebral cortex (which can be an	

area of arousal) facilitates sleep.

Sleep occurs when there is a decreased input into this area.



https://www.pass2lead.com/nclex-pn.html 2024 Latest pass2lead NCLEX-PN PDF and VCE dumps Download

Latest NCLEX-PN Dumps

NCLEX-PN PDF Dumps NCLEX-PN Exam Questions