

NS0-173^{Q&As}

Cisco and NetApp FlexPod Design Specialist

Pass NetApp NS0-173 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.pass2lead.com/ns0-173.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by NetApp
Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers



QUESTION 1

Which Cisco Nexus series switch supports NX-OS standalone mode or Application Centric Infrastructure (ACI) fabric mode?

- A. Nexus 7000
- B. Nexus 3000
- C. Nexus 9000
- D. Nexus 5000

Correct Answer: C

Reference: <https://www.cisco.com/c/en/us/products/collateral/switches/nexus-9000-series-switches/guidec07-733228.html>

QUESTION 2

A client has a FlexPod Datacenter solution with four active fabric links in port channel mode established between the Cisco Fabric Interconnects and the IOMs on a Cisco 5108 blade chassis. The blade chassis is fully populated with Cisco UCS B200M5 blades. A worker in the data center inadvertently unplugs the fourth uplink cable from IOM-A while working in the rack.

In this scenario, what happens to the network traffic?

- A. Connectivity for servers 3, 4, 7, and 8 all fail over to IOM-B.
- B. There is a loss of connectivity for servers 4 and 8.
- C. Traffic is load-balanced within IOM-A.
- D. Traffic is load-balanced within IOM-B.

Correct Answer: A

QUESTION 3

A customer is configuring the UCS to handle a multitenant environment. The customer has created an organization within UCS for each tenant and would like to allow access to these organizations for only users that belong to that tenant.

In this scenario, which feature in UCS Manager should the customer use to accomplish this task?

- A. Locales
- B. Trusted Platform Module
- C. Service Profile

D. User Roles

Correct Answer: C

Reference: https://www.cisco.com/c/en/us/td/docs/unified_computing/ucs/ucs-manager/GUI-User-Guides/Admin-Management/3-2/b_Cisco_UCS_Admin_Mgmt_Guide_3_2/b_Cisco_UCS_Admin_Mgmt_Guide_3_2_chapter_01010.html

QUESTION 4

A customer has a FlexPod Express configuration with a FAS2720 system. The company has opened a new remote location and will purchase a FlexPod Express configuration with a FAS2750 system. The business requires that the data be replicated to the new location.

Which two software applications accomplish this task? (Choose two.)

- A. SnapVault
- B. SnapRestore
- C. SnapMirror
- D. FlexCache

Correct Answer: CD

FlexClone: Instant virtual copies with file and volume granularity SnapMirror: Integrated data replication technology for simple, efficient, flexible disaster recovery and backup use cases

Reference: <https://www.inneo.ch/files/content/Informationstechnologien/Storage-Server-Netzwerk/datenblatt-netapp-fas-2700-storage.pdf>

QUESTION 5

Which port type would you configure when you connect a chassis to the Cisco Fabric Interconnects?

- A. Ethernet uplink ports
- B. FC storage ports
- C. server ports
- D. appliance ports

Correct Answer: B

Reference: <https://www.netapp.com/media/12424-tr4036.pdf> (16)