

# NS0-175<sup>Q&As</sup>

Cisco and NetApp FlexPod Design Specialist

## Pass NetApp NS0-175 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

https://www.pass2lead.com/ns0-175.html

100% Passing Guarantee 100% Money Back Assurance

Following Questions and Answers are all new published by NetApp Official Exam Center

Instant Download After Purchase

100% Money Back Guarantee

- 😳 365 Days Free Update
- 800,000+ Satisfied Customers





#### **QUESTION 1**

You want to ensure the uniqueness of the Cisco UCS WWNNs and WWPNs in the SAN for a FlexPod solution.

In this situation, Cisco recommends using which WWN prefix for all blocks in a pool?

A. 30:00:00:25:B5:XX:XX:XX

- B. 40:00:00:25:B5:XX:XX:XX
- C. 20:00:00:25:B5:XX:XX:XX
- D. 60:00:00:25:B5:XX:XX:XX

Correct Answer: C

Reference: https://www.cisco.com/c/en/us/td/docs/unified\_computing/ucs/ucs-manager/GUI-User-Guides/ Storage Mgmt/4-0/b\_UCSM\_GUI\_Storage\_Management\_Guide\_4\_0/ b\_UCSM\_GUI\_Storage\_Management\_Guide\_4\_0\_chapter\_0111.html

#### **QUESTION 2**

You are asked to design a new FlexPod solution that will host VMware virtual machines using NFS datastores, file services using SMB, and NFS-mounted home directories. You need to ensure that the network traffic of these three use cases are isolated?

In this scenario, which supported end-to-end network topology would be used to accomplish this task?

A. VSAN

B. VXLAN

C. VLAN

D. vPC


Correct Answer: CD

Reference: https://www.netapp.com/media/12451-nva-1110-fp-design.pdf

#### **QUESTION 3**

Click the Exhibit button.





You are building a new FlexPod system booting from SAN.

Referring to the exhibit, how many paths will there be to the target LUN?

- A. 1
- B. 2
- C. 8
- D. 4

Correct Answer: D

#### **QUESTION 4**

You have a customer that wants to deploy a new data center environment and take advantage of server portability. You propose that they use Cisco UCS servers to take advantage of stateless computing operations.

In this scenario, which Cisco UCS feature would help the customer achieve their objective?

- A. SEL logs
- B. MAC address pools
- C. Service Profiles
- D. VSANs
- Correct Answer: C



Reference: https://community.cisco.com/t5/data-center-documents/what-is-stateless-computing-in-ucs/tap/3116244

### **QUESTION 5**

A customer wants to add 40 Gbps networking capabilities to a FlexPod Datacenter 10 Gbps environment. Which two Cisco components support this speed? (Choose two.)

- A. Cisco Nexus 9504
- B. Cisco UCS 1440 VIC
- C. Cisco Nexus 3550-F
- D. Cisco UCS 1455 VIC
- Correct Answer: BC

Latest NS0-175 Dumps

NS0-175 Practice Test

NS0-175 Braindumps