

# NS0-527<sup>Q&As</sup>

NetApp Certified Implementation Engineer - Data Protect

## Pass NetApp NS0-527 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.pass2lead.com/ns0-527.html>

100% Passing Guarantee  
100% Money Back Assurance

Following Questions and Answers are all new published by NetApp  
Official Exam Center

- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers



**QUESTION 1**

A volume on a FabricPool-enabled aggregate is consuming 10 TB of the performance tier and 90 TB of the cloud tier. A SnapMirror copy needs to be created on a FabricPool-enabled peer cluster at a disaster recovery location.

In this scenario, how much data is transferred when the SnapMirror relationship is initialized?

- A. 100 TB
- B. 200 TB
- C. 10 TB
- D. 90 TB

Correct Answer: A

---

**QUESTION 2**

You have a SnapMirror relationship established between two sites and want to verify that the data on the DR site is usable without disturbing the source. In this scenario, which three steps are required to accomplish this task? (Choose three.)

- A. Resynchronize the destination to the source volume, then update the source volume.
- B. Resume the SnapMirror destination, then update the SnapMirror destination.
- C. Quiesce the SnapMirror destination, then break the SnapMirror destination.
- D. Reverse the SnapMirror source and destination, then re-initialize SnapMirror.
- E. Configure the destination volume for data access, then access the data volume from a client.

Correct Answer: ACD

---

**QUESTION 3**

You are deploying a mission-critical business application for a healthcare customer that, according to government policies and regulations, requires zero data loss. In this scenario, which NetApp solution enables you to set up data replication at a volume level to satisfy your business needs?

- A. MetroCluster
- B. SnapMirror-Synchronous
- C. Snapshot Copies
- D. SyncMirror

Correct Answer: B

---

**QUESTION 4**

Your DevOps team reported that one virtual machine on a VMware datastore has been corrupted due to a ransomware attack. In this scenario, which two methods would solve the issue? (Choose two.)

- A. Restore the Snapshot copy of the volume from ONTAP System Manager.
- B. Restore the VM using SnapCenter Plug-in for VMware vSphere.
- C. Restore the datastore using SnapCenter Plug-in for VMware vSphere.
- D. Clone the volume's Snapshot copy prior to the attack, mount, and storage vMotion.

Correct Answer: CD

---

**QUESTION 5**

You want to modify the existing Snapshot copy schedule to allow for more granularity in your ability to recover data after a corruption or loss. In this scenario, which two tools allow you to accomplish this task (Choose two.)

- A. OnCommand System Manager
- B. OnCommand Unified Manager
- C. NetApp SnapCenter
- D. ONTAP CLI

Correct Answer: BD

[Latest NS0-527 Dumps](#)

[NS0-527 PDF Dumps](#)

[NS0-527 Practice Test](#)