

NSE4_FGT-6.4^{Q&As}

Fortinet NSE 4 - FortiOS 6.4

Pass Fortinet NSE4_FGT-6.4 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

https://www.pass2lead.com/nse4_fgt-6-4.html

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Fortinet
Official Exam Center

- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers



QUESTION 1

Which two statements are true about the RPF check? (Choose two.)

- A. The RPF check is run on the first sent packet of any new session.
- B. The RPF check is run on the first reply packet of any new session.
- C. The RPF check is run on the first sent and reply packet of any new session.
- D. RPF is a mechanism that protects FortiGate and your network from IP spoofing attacks.

Correct Answer: AD

Reference: <https://www.programmersought.com/article/16383871634/>

QUESTION 2

Examine this FortiGate configuration:

```
config system global
    set av-failopen pass
end
```

Examine the output of the following debug command:

```
# diagnose hardware sysinfo conserve
memory conserve mode: on
total RAM: 3040 MB
memory used: 2948 MB 97% of total RAM
memory freeable: 92 MB 3% of total RAM
memory used + freeable threshold extreme: 2887 MB 95% of total RAM
memory used threshold red: 2675 MB 88% of total RAM
memory used threshold green: 2492 MB 82% of total RAM
```

Based on the diagnostic outputs above, how is the FortiGate handling the traffic for new sessions that require inspection?

- A. It is allowed, but with no inspection

- B. It is allowed and inspected as long as the inspection is flow based
- C. It is dropped.
- D. It is allowed and inspected, as long as the only inspection required is antivirus.

Correct Answer: C

QUESTION 3

An administrator wants to configure timeouts for users. Regardless of the userTMs behavior, the timer should start as soon as the user authenticates and expire after the configured value.

Which timeout option should be configured on FortiGate?

- A. auth-on-demand
- B. soft-timeout
- C. idle-timeout
- D. new-session
- E. hard-timeout

Correct Answer: E

QUESTION 4

Which three methods are used by the collector agent for AD polling? (Choose three.)

- A. FortiGate polling
- B. NetAPI
- C. Novell API
- D. WMI
- E. WinSecLog

Correct Answer: BDE

Reference: <https://kb.fortinet.com/kb/documentLink.do?externalID=FD47732>

QUESTION 5

When a firewall policy is created, which attribute is added to the policy to support recording logs to a FortiAnalyzer or a FortiManager and improves functionality when a FortiGate is integrated with these devices?

- A. Log ID

B. Universally Unique Identifier

C. Policy ID

D. Sequence ID

Correct Answer: B

Reference: <https://docs.fortinet.com/document/fortigate/6.0.0/handbook/554066/firewall-policies>

[NSE4_FGT-6.4 PDF Dumps](#)

[NSE4_FGT-6.4 Practice
Test](#)

[NSE4_FGT-6.4 Braindumps](#)