

# NSE4\_FGT-7.0<sup>Q&As</sup>

Fortinet NSE 4 - FortiOS 7.0

## Pass Fortinet NSE4\_FGT-7.0 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

[https://www.pass2lead.com/nse4\\_fgt-7-0.html](https://www.pass2lead.com/nse4_fgt-7-0.html)

100% Passing Guarantee  
100% Money Back Assurance

Following Questions and Answers are all new published by Fortinet  
Official Exam Center

- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers



**QUESTION 1**

When a firewall policy is created, which attribute is added to the policy to support recording logs to a FortiAnalyzer or a FortiManager and improves functionality when a FortiGate is integrated with these devices?

- A. Log ID
- B. Universally Unique Identifier
- C. Policy ID
- D. Sequence ID

Correct Answer: B

Reference: <https://docs.fortinet.com/document/fortigate/6.0.0/handbook/554066/firewall-policies>

---

**QUESTION 2**

Which two statements are true about collector agent standard access mode? (Choose two.)

- A. Standard mode uses Windows convention-NetBios: Domain\Username.
- B. Standard mode security profiles apply to organizational units (OU).
- C. Standard mode security profiles apply to user groups.
- D. Standard access mode supports nested groups.

Correct Answer: AC

Reference: <https://docs.fortinet.com/document/fortigate/6.0.0/handbook/482937/agent-based-fsso>

---

**QUESTION 3**

An administrator has configured the following settings: What are the two results of this configuration? (Choose two.)

```
config system settings
set ses-denied-traffic enable
end
config system global
set block-session-timer 30
end
```

- A. Device detection on all interfaces is enforced for 30 minutes.
- B. Denied users are blocked for 30 minutes.

- C. A session for denied traffic is created.
- D. The number of logs generated by denied traffic is reduced.

Correct Answer: CD

Reference: <https://kb.fortinet.com/kb/documentLink.do?externalID=FD46328>

---

#### QUESTION 4

An administrator has a requirement to keep an application session from timing out on port 80.

What two changes can the administrator make to resolve the issue without affecting any existing services running through FortiGate? (Choose two.)

- A. Create a new firewall policy with the new HTTP service and place it above the existing HTTP policy.
- B. Create a new service object for HTTP service and set the session TTL to never
- C. Set the TTL value to never under config system-ttl
- D. Set the session TTL on the HTTP policy to maximum

Correct Answer: BC

---

#### QUESTION 5

Refer to the exhibit.

Name Custom\_Profile

Comments  0/255

Access Permissions

Access Control	Permissions	Set All ▾
Security Fabric	<input type="radio"/> None <input checked="" type="radio"/> Read <input checked="" type="radio"/> Read/Write	
FortiView	<input type="radio"/> None <input checked="" type="radio"/> Read <input checked="" type="radio"/> Read/Write	
User & Device	<input type="radio"/> None <input checked="" type="radio"/> Read <input checked="" type="radio"/> Read/Write	
Firewall	<input type="radio"/> None <input checked="" type="radio"/> Read <input checked="" type="radio"/> Read/Write <input checked="" type="radio"/> Custom	
Log & Report	<input type="radio"/> None <input checked="" type="radio"/> Read <input checked="" type="radio"/> Read/Write <input checked="" type="radio"/> Custom	
Network	<input type="radio"/> None <input checked="" type="radio"/> Read <input checked="" type="radio"/> Read/Write <input checked="" type="radio"/> Custom	
System	<input type="radio"/> None <input checked="" type="radio"/> Read <input checked="" type="radio"/> Read/Write <input checked="" type="radio"/> Custom	
Security Profile	<input type="radio"/> None <input checked="" type="radio"/> Read <input checked="" type="radio"/> Read/Write <input checked="" type="radio"/> Custom	
VPN	<input type="radio"/> None <input checked="" type="radio"/> Read <input checked="" type="radio"/> Read/Write	
WAN Opt & Cache	<input type="radio"/> None <input checked="" type="radio"/> Read <input checked="" type="radio"/> Read/Write	
WiFi & Switch	<input type="radio"/> None <input checked="" type="radio"/> Read <input checked="" type="radio"/> Read/Write	

Permit usage of CLI diagnostic commands

Override Idle Timeout

Based on the administrator profile settings, what permissions must the administrator set to run the diagnose firewall auth list CLI command on FortiGate?

- A. Custom permission for Network
- B. Read/Write permission for Log and Report

C. CLI diagnostics commands permission

D. Read/Write permission for Firewall

Correct Answer: C

<https://kb.fortinet.com/kb/documentLink.do?externalID=FD50220>

[Latest NSE4\\_FGT-7.0 Dumps](#)

[NSE4\\_FGT-7.0 Exam Questions](#)

[NSE4\\_FGT-7.0 Braindumps](#)