

# NSE5\_FMG-6.0<sup>Q&As</sup>

Fortinet NSE 5 - FortiManager 6.0

# Pass Fortinet NSE5\_FMG-6.0 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

https://www.pass2lead.com/nse5\_fmg-6-0.html

## 100% Passing Guarantee 100% Money Back Assurance

Following Questions and Answers are all new published by Fortinet Official Exam Center

Instant Download After Purchase

- 100% Money Back Guarantee
- 💿 365 Days Free Update
- 800,000+ Satisfied Customers





#### **QUESTION 1**

What configuration setting for FortiGate is part of a device-level database on FortiManager?

- A. VIP and IP Pools
- B. Firewall policies
- C. Security profiles
- D. Routing


Correct Answer: D

#### **QUESTION 2**

View the following exhibit.

When using Install Config option to install configuration changes to managed FortiGate, which of the

following statements are true? (Choose two.)




- A. Once initiated, the install process cannot be canceled and changes will be installed on the managed device
- B. Will not create new revision in the revision history
- C. Installs device-level changes to FortiGate without launching the Install Wizard
- D. Provides the option to preview configuration changes prior to installing them

Correct Answer: AC

#### **QUESTION 3**



View the following exhibit.



What of the following statements are true regarding the output? (Choose two.)

A. The latest revision history for the managed FortiGate does match with the FortiGate running configuration

B. Configuration changes have been installed to FortiGate and represents FortiGate configuration has been changed

C. The latest history for the managed FortiGate does not match with the device-level database

D. Configuration changes directly made on the FortiGate have been automatically updated to device-level

database

Correct Answer: BD

#### **QUESTION 4**

View the following exhibit.



### Starting Log (Run the device)

Start installing Local-FortiGate \$ config user device Local-FortiGate (device) \$ edit "mydevice" new entry 'mydevice' added Local-FortiGate (mydevice) \$ next MAC address can not be 0 Node\_check\_object fail!for mac 00:00:00:00:00:00 Attribute 'mac' value '00:00:00:00:00:00' checkingfail -33 Command fail. Return code 1 Local-FortiGate (device) \$ end .... Local-FortiGate \$ config firewall policy Local-FortiGate (policy) \$ edit 2 New entry '2' added Local-FortiGate (2) \$ set name "Device\_policy" Local-FortiGate (2) \$ set uuid 64... Local-FortiGate (2) \$ set srcintf "port3" Local-FortiGate (2) \$ set dstintf "port1" Local-FortiGate (2) \$ set srcaddr "all" Local-FortiGate (2) \$ set dstaddr "all" Local-FortiGate (2) \$ set action accept Local-FortiGate (2) \$ set schedule "always" Local-FortiGate (2) \$ set service "ALL" Local-FortiGate (2) \$ set devices "mydevice" Entry not found in datasource Value parse error before 'mydevice' Command fail. Return code -3 Local-FortiGate (2) \$ set nat enable Local-FortiGate (2) \$ next Local-FortiGate (policy) \$ end ...



Which statement is true regarding this failed installation log?

- A. Policy ID 2 is installed without a source address
- B. Policy ID 2 will not be installed
- C. Policy ID 2 is installed in disabled state
- D. Policy ID 2 is installed without a source device

Correct Answer: D

#### **QUESTION 5**

An administrator wants to delete an address object that is currently referenced in a firewall policy. Which one of the following statements is true?

A. FortiManager will not allow the administrator to delete a referenced address object

- B. FortiManager will disable the status of the referenced firewall policy
- C. FortiManager will replace the deleted address object with the none address object in the referenced firewall policy
- D. FortiManager will replace the deleted address object with all address object in the referenced firewall policy

Correct Answer: C

Latest NSE5\_FMG-6.0 Dumps NSE5 FMG-6.0 VCE Dumps NSE5 FMG-6.0 Study Guide