

# NSE6\_FAD-6.2<sup>Q&As</sup>

Fortinet NSE 6 - FortiADC 6.2

## Pass Fortinet NSE6\_FAD-6.2 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

[https://www.pass2lead.com/nse6\\_fad-6-2.html](https://www.pass2lead.com/nse6_fad-6-2.html)

100% Passing Guarantee  
100% Money Back Assurance

Following Questions and Answers are all new published by Fortinet Official Exam Center

- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers



### QUESTION 1

Which two configuration actions are possible when protecting application delivery servers from clients with IP addresses in the IP reputation database? (Choose two.)

- A. Automatically create a WAF profile based on the traffic
- B. Redirect the traffic to a different URL
- C. Block the traffic.
- D. Analyze the traffic using WVS rules

Correct Answer: BC

---

### QUESTION 2

In global load balancing, why might an administrator configure the response rate limit in FortiADC?

- A. To redirect requests from a blocked country
- B. To prevent FortiADG from being used in DNS amplification DoS attacks
- C. To protect back-end servers from SYN flood attacks
- D. To prioritize outgoing traffic by sending it through the link with the lowest response time

Correct Answer: B

---

### QUESTION 3

Which three statements about TurboHTTP are true?

- A. It does not support content rewriting.
- B. It is supported only on Layer 2 and layer 4 virtual servers.
- C. It support the use of secured HTTP traffic.
- D. It can be used with Layer 7 virtual servers.
- E. It reduces network latency and system CPU usage.

Correct Answer: ADE

---

### QUESTION 4

An administrator is managing a web site that uses specialized servers for streaming, in addition to servers that handle HTTP traffic.



To make sure that specialized servers handle the streaming traffic, what FortiADC capacity should they use?

- A. Persistence rules
- B. Content routing
- C. Dynamic load balancing
- D. HTTP compression

Correct Answer: B

**QUESTION 5**

Refer to the exhibits.



Which show the HA configurations for two FortiADC devices

If both FortiADC devices are operational, which FortiADC is the active device in the cluster?

- A. The FortiADC with the highest HA uptime value
- B. The FortiADC with the highest sorting serial number
- C. FortiADC-1
- D. FortiADC-2

Correct Answer: D

[NSE6\\_FAD-6.2 PDF Dumps](#) [NSE6\\_FAD-6.2 VCE Dumps](#)

[NSE6\\_FAD-6.2 Practice Test](#)