

NSE6_FML-6.0^{Q&As}

Fortinet NSE 6 - FortiMail 6.0

Pass Fortinet NSE6_FML-6.0 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

https://www.pass2lead.com/nse6_fml-6-0.html

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Fortinet
Official Exam Center

- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers



QUESTION 1

Examine the FortiMail IBE service configuration shown in the exhibit; then answer the question below.

IBE Encryption	
Enable IBE service	<input checked="" type="checkbox"/>
IBE service name:	Example Secure Portal
User registration expiry time (days):	30
User inactivity expiry time (days):	90
Encrypted email storage expiry time (days):	180
Password reset expiry time (hours):	24
Allow secure replying	<input checked="" type="checkbox"/>
Allow secure forwarding	<input type="checkbox"/>
Allow secure composing	<input type="checkbox"/>
IBE base URL:	
"Help" content URL:	
"About" content URL:	
Allow custom user control	<input type="checkbox"/>

Which of the following statements describes the User inactivity expiry time of 90 days?

- A. First time IBE users must register to access their email within 90 days of receiving the notification email message
- B. After initial registration, IBE users can access the secure portal without authenticating again for 90 days
- C. Registered IBE users have 90 days from the time they receive a notification email message to access their IBE email
- D. IBE user accounts will expire after 90 days of inactivity, and must register again to access new IBE email message

Correct Answer: D

QUESTION 2

Examine the FortMail mail server settings shown in the exhibit; then answer the question below.

Mail Server Settings	Relay Host List	Disclaimer	Disclaimer Exclusion List
Local Host		Local Host Setting	
Host name:	<input type="text" value="mx"/>		
Local domain name:	<input type="text" value="example.com"/>		
SMTP server port number:	<input type="text" value="25"/>		
SMTP over SSL/TLS	<input checked="" type="checkbox"/>		
SMTPS server port number:	<input type="text" value="465"/>		
SMTP MSA service	<input checked="" type="checkbox"/>		
SMTP MSA port number:	<input type="text" value="587"/>		
POP3 server port number:	<input type="text" value="110"/>		
Default domain for authentication:	<input type="text" value="--None--"/>		
Webmail access	<input checked="" type="checkbox"/> Redirect HTTP to HTTPS		

Which of the following statements are true? (Choose two.)

- A. mx.example.com will enforce SMTPS on all outbound sessions
- B. mx.example.com will display STARTTLS as one of the supported commands in SMTP sessions
- C. mx.example.com will accept SMTPS connections
- D. mx.example.com will drop any inbound plaintext SMTP connection

Correct Answer: AC

QUESTION 3

An organization has different groups of users with different needs in email functionality, such as address book access, mobile device access, email retention periods, and disk quotas. Which FortiMail feature specific to server mode can be used to accomplish this?

- A. Resource profiles
- B. Address book management options
- C. Access profiles
- D. Domain-level service settings

Correct Answer: D

QUESTION 4

Examine the FortiMail archiving policies shown in the exhibit; then answer the question below.

FortiMail

Email Archiving Exempt Policy

ID:

Account:

Policy type:

Pattern:

Policy status: Enabled

FortiMail

Email Archiving Policy

ID:

Account:

Policy type:

Pattern:

Policy status: Enabled

Which of the following statements is true regarding this configuration? (Choose two.)

- A. Spam email will be exempt from archiving
- B. Email sent from marketing@example.com will be archived
- C. Archived email will be saved in the journal account
- D. Only the marketing@example.com account will be able to access the archived email

Correct Answer: AB

QUESTION 5

Which firmware upgrade method for an active-passive HA cluster ensures service outage is minimal and there are no

unnecessary failovers?

- A. Upgrade the active unit, which will upgrade the standby unit automatically
- B. Upgrade both units at the same time
- C. Upgrade the standby unit, and then upgrade the active unit
- D. Break the cluster, upgrade the units independently, and then form the cluster again as quickly as possible

Correct Answer: D

[Latest NSE6_FML-6.0 Dumps](#)

[NSE6_FML-6.0 VCE Dumps](#)

[NSE6_FML-6.0 Exam Questions](#)