

NSE6_FML-6.0^{Q&As}

Fortinet NSE 6 - FortiMail 6.0

Pass Fortinet NSE6_FML-6.0 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

https://www.pass2lead.com/nse6_fml-6-0.html

100% Passing Guarantee 100% Money Back Assurance

Following Questions and Answers are all new published by Fortinet Official Exam Center

Instant Download After Purchase

- 100% Money Back Guarantee
- 💿 365 Days Free Update
- 800,000+ Satisfied Customers





QUESTION 1

Examine the nslookup output shown in the exhibit; then answer the question below.

```
C:\>nslookup -type=mx example.com
Server: PriNS
Address: 10.200.3.254
Non-authoritative answer:
example.com MX preference = 10, mail exchanger = mx.hosted.com
example.com MX preference = 20, mail exchanger = mx.example.com
```

Identify which of the following statements is true regarding the example.com domain\\'s MTAs. (Choose two.)

- A. External MTAs will send email to mx.example.com only if mx.hosted.com is unreachable
- B. The primary MTA for the example.com domain is mx.hosted.com
- C. The PriNS server should receive all email for the example.com domain
- D. The higher preference value is used to load balance more email to the mx.example.com MTA

Correct Answer: CD

QUESTION 2

Which of the following statements are true regarding FortiMail\\'s behavior when using the built-in MTA to process email in transparent mode? (Choose two.)

- A. FortiMail can queue undeliverable messages and generate DSNs
- B. If you disable the built-in MTA, FortiMail will use its transparent proxies to deliver email
- C. FortiMail ignores the destination set by the sender and uses its own MX record lookup to deliver email
- D. MUAs need to be configured to connect to the built-in MTA to send email

Correct Answer: BC

QUESTION 3

Examine the FortiMail recipient-based policy shown in the exhibit; then answer the question below.



Policies						
		Recipient Based Policy				
Enable	•					
Direction:	Incoming					
Domain:	-	▼				
Comments:						
comments.						
– Sender P	attern —					
Туре		er 🗸 @				
	*	@ *				
	5	73				
Recipien	t Pattern –					
Туре	t: Us	lser 🗸 @				
	*	@ example.com				
Profile	es					
 Authent 	ication and	d Access				
Authentication type: LDAP		LDAP				
Authentication profile:		Example LDAP				
Use for SMTP authentication						
		ed email access through POP3 ed email access through webmail				

After creating the policy, an administrator discovered that clients are able to send unauthenticated email using SMTP. What must be done to ensure clients cannot send unauthenticated email?


- A. Configure a matching IP policy with SMTP authentication and exclusive flag enabled
- B. Move the recipient policy to the top of the list
- C. Configure an access receive rule to verify authentication status
- D. Configure an access delivery rule to enforce authentication

Correct Answer: A

QUESTION 4

Examine the exhibit; then answer the question below.





MTA 1 is delivering an email intended for User 1 to MTA 2. Which of the following statements about protocol usage between the devices are true? (Choose two.)

- A. MTA 2 will use IMAP to receive the email message from MTA 1
- B. MTA 1 will use SMTP to deliver the email message to MTA 2
- C. User 1 will use IMAP to download the email message from MTA 2
- D. MTA 1 will use POP3 to deliver the email message to User 1 directly

Correct Answer: BC

QUESTION 5

Examine the FortiMail antivirus action profile shown in the exhibit; then answer the question below.



		Antillinus Anti-	an Drafila		
		AntiVirus Acti	on Profile		
Domain:	internal.lab				
Profile name:	AC_Action				
Direction	Incoming		•		
🔲 Tag email	's subject line			With value:	
🔲 Insert new header				With value:	1
Deliver to alternate host					
BCC					
Replace	infected/suspicious boo	dy or attachment(s)			
Replace		dy or attachment(s) None		New	Edit
		Protocol and		 New New 	Edit
Notify with		None			-
 Notify with Reject Discard System of 	uarantine to folder	None None			-
 Notify with Reject Discard System of 	n profile	None None		New	Edit
Notify with Reject Discard System of Rewrit	uarantine to folder	None None ess		New	Edit
Notify with Reject Discard System of Rewrite Repacka Repacka	uprofile quarantine to folder te recipient email addre	None None ess sed content* text content*		New	Edit

What is the expected outcome if FortiMail applies this action profile to an email? (Choose two.)

A. The sanitized email will be sent to the recipient\\'s personal quarantine

B. A replacement message will be added to the email

C. Virus content will be removed from the email

D. The administrator will be notified of the virus detection

Correct Answer: BC

NSE6 FML-6.0 PDF Dumps	NSE6 FML-6.0 Practice	NSE6 FML-6.0 Study Guide
	Test	