

NSE6_FML-6.2^{Q&As}

Fortinet NSE 6 - FortiMail 6.2

Pass Fortinet NSE6_FML-6.2 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

https://www.pass2lead.com/nse6_fml-6-2.html

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Fortinet Official Exam Center

- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers



QUESTION 1

A FortiMail is configured with the protected domain example.com.

On this FortiMail, which two envelope addresses are considered incoming? (Choose two.)

- A. MAIL FROM: accounts@example.com RCPT TO: sales@external.org
- B. MAIL FROM: support@example.com RCPT TO: marketing@example.com
- C. MAIL FROM: training@external.org RCPT TO: students@external.org
- D. MAIL FROM: mis@hosted.net RCPT TO: noc@example.com

Correct Answer: CD

Reference: https://fortinetweb.s3.amazonaws.com/docs.fortinet.com/v2/attachments/9aa62d26-858d11ea-9384-00505692583a/FortiMail-6.4.0-Administration_Guide.pdf (30)

QUESTION 2

If you are using the built-in MTA to process email in transparent mode, which two statements about FortiMail behavior are true? (Choose two.)

- A. MUAs need to be configured to connect to the built-in MTA to send email
- B. If you disable the built-in MTA, FortiMail will use its transparent proxies to deliver email
- C. FortiMail can queue undeliverable messages and generate DSNs
- D. FortiMail ignores the destination set by the sender, and uses its own MX record lookup to deliver email

Correct Answer: CD

QUESTION 3

Refer to the exhibit.

Access Control Rule

Enabled

Sender: User Defined
*@example.com

Recipient: User Defined
*

Source: IP/Netmask
10.0.1.100/32

Reverse DNS pattern: * Regular Expression

Authentication status: Any

TLS profile: --None--

Action: Relay

Comments:

Which two statements about the access receive rule are true? (Choose two.)

- A. Email matching this rule will be relayed
- B. Email must originate from an example.com email address to match this rule
- C. Senders must be authenticated to match this rule
- D. Email from any host in the 10.0.1.0/24 subnet can match this rule

Correct Answer: AB

QUESTION 4

Refer to the exhibit.

Mail Server Settings	Relay Host List	Disclaimer	Disclaimer Exclusion List	Storage
<input checked="" type="checkbox"/> Local Host:				
Host name:	<input type="text" value="mx"/>			
Local domain name:	<input type="text" value="example.com"/>			
SMTP server port number:	<input type="text" value="25"/>			
SMTP over SSL/TLS	<input checked="" type="checkbox"/>			
SMTPS server port number:	<input type="text" value="465"/>			
SMTP MSA service	<input type="checkbox"/>			
SMTP MSA port number:	<input type="text" value="587"/>			
POP3 server port number:	<input type="text" value="110"/>			
Default domain for authentication:	<input type="text" value="--None--"/>			
Redirect HTTP to HTTPS	<input checked="" type="checkbox"/>			

Which two statements about the mail server settings are true? (Choose two.)

- A. FortiMail will support the STARTTLS extension
- B. FortiMail will accept SMTPS connections
- C. FortiMail will drop any inbound plaintext SMTP connection
- D. FortiMail will enforce SMTPS on all outbound sessions

Correct Answer: BC

QUESTION 5

What three configuration steps are required to enable DKIM signing for outbound messages on FortiMail? (Choose three.)

- A. Generate a public/private key pair in the protected domain configuration
- B. Enable DKIM check in a matching session profile
- C. Enable DKIM check in a matching antispam profile
- D. Publish the public key as a TXT record in a public DNS server
- E. Enable DKIM signing for outgoing messages in a matching session profile

Correct Answer: ABD

[NSE6 FML-6.2 Practice Test](#)

[NSE6 FML-6.2 Exam Questions](#)

[NSE6 FML-6.2 Braindumps](#)