

NSE6_FNC-8.5^{Q&As}

Fortinet NSE 6 - FortiNAC 8.5

Pass Fortinet NSE6_FNC-8.5 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

https://www.pass2lead.com/nse6_fnc-8-5.html

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Fortinet Official Exam Center

- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers



QUESTION 1

What would happen if a port was placed in both the Forced Registration and the Forced Remediation port groups?

- A. Both enforcement groups cannot contain the same port.
- B. Only at-risk hosts would be impacted.
- C. Only rogue hosts would be impacted.
- D. Both types of enforcement would be applied.

Correct Answer: A

Reference: <https://docs.fortinet.com/document/fortinac/8.3.0/administration-guide/837785/system-groups>

QUESTION 2

Where do you look to determine what network access policy, if any, is being applied to a particular host?

- A. The network access policy configuration
- B. The Port Properties view of the hosts port
- C. The Policy Logs view
- D. The Policy Details view for the host

Correct Answer: A

Reference: <https://docs.microsoft.com/en-us/windows-server/networking/technologies/nps/nps-npoverview>

QUESTION 3

Which three communication methods are used by the FortiNAC to gather information from, and control, infrastructure devices? (Choose three.)

- A. SNMP
- B. RADIUS
- C. FTP
- D. CLI
- E. SMTP

Correct Answer: ABC

Set up SNMP communication with FortiNAC RADIUS Server that is used by FortiNAC to communicate FortiNAC can be configured via CLI to use HTTP or HTTPS for OS updates instead of FTP.

Reference: <https://docs.fortinet.com/document/fortinac/8.3.0/administration-guide/28966/snmp>

<https://docs.fortinet.com/document/fortinac/8.8.0/administration-guide/938271/configure-radius-settings> https://fortinetwe b.s3.amazonaws.com/docs.fortinet.com/v2/attachments/e7ebdaa-cabf-11ea-8b7d00505692583a/FortiNAC_Deployment_Guide.pdf

QUESTION 4

What would occur if both an unknown (rogue) device and a known (trusted) device simultaneously appeared on a port that is a member of the Forced Registration port group?

- A. The port would be provisioned to the registration network, and both hosts would be isolated.
- B. The port would not be managed, and an event would be generated.
- C. The port would be provisioned for the normal state host, and both hosts would have access to that VLAN.
- D. The port would be administratively shut down.

Correct Answer: C

QUESTION 5

Which three circumstances trigger Layer 2 polling of infrastructure devices? (Choose three.)

- A. A matched security policy
- B. Scheduled poll timings
- C. Linkup and Linkdown traps
- D. Manual polling
- E. A failed Layer 3 poll

Correct Answer: BCD

[Latest NSE6_FNC-8.5 Dumps](#)

[NSE6_FNC-8.5 VCE Dumps](#)

[NSE6_FNC-8.5 Braindumps](#)