

# NSE7\_EFW-6.0<sup>Q&As</sup>

Fortinet NSE 7 - Enterprise Firewall 6.0

# Pass Fortinet NSE7\_EFW-6.0 Exam with 100% Guarantee

Free Download Real Questions & Answers PDF and VCE file from:

https://www.pass2lead.com/nse7 efw-6-0.html

100% Passing Guarantee 100% Money Back Assurance

Following Questions and Answers are all new published by Fortinet
Official Exam Center

- Instant Download After Purchase
- 100% Money Back Guarantee
- 365 Days Free Update
- 800,000+ Satisfied Customers





#### **QUESTION 1**

View the exhibit, which contains the output of diagnose sys session list, and then answer the question below.

```
# diagnose sys session list
session info: proto=6 proto state=01 duration=73 expire=3597 timeout=3600
flags=00000000 sockflag=00000000 sockport=0 av idx=0 use=3
origin-shaper=
reply-shaper=
per ip shaper=
class id=0 ha id=0 policy dir=0 tunnel=/ vlan cos=0/255
state=may dirty synced none app ntf
statistic(bytes/packets/allow_err): org=822/11/1 reply=9037/15/1 tuples=2
orgin->sink: org pre->post, reply pre->post dev=4->2/2->4
gwy=100.64.1.254/10.0.1.10
hook=post dir=org act=snat 10.0.1.10:65464->54.192.15.182:80(100.64.1.1:65464)
hook=pre dir=reply act=dnat 54.192.15.182:80->100.64.1.1:65464(10.0.1.10:65464)
pos/(before,after) 0/(0,0), 0/(0,0)
misc=0 policy id=1 auth info=0 chk client_info=0 vd=0
serial=00000098 tos=ff/ff ips view=0 app list=0 app=0
dd type=0 dd mode=0
```

If the HA ID for the primary unit is zero (0), which one of the following statements about the output is true?

- A. This session is for HA heartbeat traffic.
- B. This session cannot be synced with the slave unit.
- C. The master unit is processing this traffic.
- D. The inspection of this session has been offloaded to the slave unit.

Correct Answer: C

#### **QUESTION 2**

Which of the following conditions must be met for a static route to be active in the routing table? (Choose two.)

- A. The next-hop IP address is up.
- B. There is no other route, to the same destination, with a higher distance.
- C. The link health monitor (if configured) is up.
- D. The outgoing interface is up.

Correct Answer: CD

# **QUESTION 3**



View the exhibit, which contains a partial routing table, and then answer the question below.

```
FGT # get router info routing-table all
Routing table for VRF=7
        10.73.9.0/24 is directly connected, port2
Routing table for VRF=12
        10.1.0.0/24 is directly connected, port3
С
S
        10.10.4.0/24 [10/0] via 10.1.0.100, port3
C
        10.64.1.0/24 is directly connected, port1
Routing table for VRF=21
S
        10.1.0.0/24 [10/0] via 10.72.3.254, port4
C
        10.72.3.0/24 is directly connected, port4
S
        192.168.2.0/24 [10/0] via 10.72.3.254, port4
```

Assuming all the appropriate firewall policies are configured, which of the following pings will FortiGate route? (Choose two.)

- A. Source IP address 10.1.0.24, Destination IP address 10.72.3.20.
- B. Source IP address 10.72.3.27, Destination IP address 10.1.0.52.
- C. Source IP address 10.72.3.52, Destination IP address 10.1.0.254.
- D. Source IP address 10.73.9.10, Destination IP address 10.72.3.15.

Correct Answer: BC

## **QUESTION 4**

What does the dirty flag mean in a FortiGate session?

- A. The session must be removed from the former primary unit after an HA failover.
- B. Traffic has been identified as from an application that is not allowed.
- C. The next packet must be re-evaluated against the firewall policies.
- D. Traffic has been blocked by the antivirus inspection.

Correct Answer: C

### **QUESTION 5**

View the exhibit, which contains a session table entry, and then answer the question below.

# https://www.pass2lead.com/nse7\_efw-6-0.html

2024 Latest pass2lead NSE7 EFW-6.0 PDF and VCE dumps Download

```
FGT = diagnose sys session list
session info: proto=6 proto_state=11 duration=35 expire=265 timeout=300 flags=00000000
sockflag=00000000 sockport=0 av_idx=0 use=4
origin-shaper=
reply-shaper=
per_ip_shaper=
class_id=0 ha_id=0 policy_dir=0 tunnel=/ vlan_cos=0/255
state=redir local may dirty none app ntf
statistic(bytes/packets/allow_err): org=3208/25/1 reply=11144/29/1 tuples=2
tx speed(Bps/kbps): 0/0 rx speed(Bps/kbps): 0/0
orgin->sink: org pre->post, reply pre->post dev=7->6/6->7 gwy=172.20.121.2/10.0.0.2 hook=post dir=org act=snat 192.167.1.100:49545->216.58.216.238:443(172.20.121.96:49545)
hook=pre dir=reply act=dnat 216.58.216.238:443->172.20.121.96:49545(192.167.1.100:49545)
pos/(before,after) 0/(0,0), 0/(0,0)
src_mac=08:5b:0e:6c:7b:7a
misc=0 policy_id=21 auth_info=0 chk_client_info=0 vd=0 serial=007f2948 tos=ff/ff app_list=0 app=0 url_cat=41
rpdb_link_id = 00000000
dd_type=0 dd_mode=0
npu state=000000000
npu info: flag=0x00/0x00, offload=0/0, ips_offload=0/0, epid=0/0, ipid=0/0, vlan=0x0000/0x0000
vlifid=0/0, vtag_in=0x0000/0x0000 in_npu=0/0, out_npu=0/0, fwd_en=0/0, qid=0/0
```

Which one of the following statements is true regarding FortiGates\\'s inspection of this session?

- A. FortiGate applied flow-based inspection.
- B. FortiGate applied proxy-based inspection.
- C. FortiGate forwarded this session without any inspection.
- D. FortiGate applied NGFW flow-based inspection.

Correct Answer: B

NSE7 EFW-6.0 PDF Dumps NSE7 EFW-6.0 VCE <u>Dumps</u> NSE7 EFW-6.0 Practice
Test