

# NSE7\_SDW-7.0<sup>Q&As</sup>

Fortinet NSE 7 - SD-WAN 7.0

## Pass Fortinet NSE7\_SDW-7.0 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

[https://www.pass2lead.com/nse7\\_sdw-7-0.html](https://www.pass2lead.com/nse7_sdw-7-0.html)

100% Passing Guarantee  
100% Money Back Assurance

Following Questions and Answers are all new published by Fortinet  
Official Exam Center

- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers



**QUESTION 1**

Which diagnostic command can you use to show the SD-WAN rules interface information and state?

- A. diagnose sys virtual-wan-link neighbor.
- B. diagnose sys virtual--wan--link route-tag-list
- C. diagnose sys virtual--wan--link member.
- D. diagnose sys virtual-wan-link service

Correct Answer: D

Reference: <https://docs.fortinet.com/document/fortigate/6.2.0/cookbook/818746/sd-wan-related-diagnose-commands>

---

**QUESTION 2**

Which statement about using BGP routes in SD-WAN is true?

- A. Adding static routes must be enabled on all ADVPN interfaces.
- B. VPN topologies must be form using only BGP dynamic routing with SD-WAN
- C. Learned routes can be used as dynamic destinations in SD-WAN rules
- D. Dynamic routing protocols can be used only with non-encrypted traffic

Correct Answer: C

---

**QUESTION 3**

Why is it effective to use SD WAN rules when configuring application control?

- A. Because traffic can be load balanced based on application type
- B. Because SD-WAIM rules are independent from firewall policies to avoid controlling applications
- C. Because you must use certificate full inspection on the firewall policy
- D. Because the application database is manually maintained by administrators

Correct Answer: A

You can configure rules to steer traffic based on the application detected by Fortigate. This is know as application steering or application-aware routing

---

**QUESTION 4**

Refer to exhibits.

```
Exhibit A Exhibit B
config system global
    set snat-route-change enable
end
```

```
Exhibit A Exhibit B
FortiGate # get router info routing-table details
Codes: K - kernel, C - connected, S - static, R - RIP, B - BGP
       O - OSPF, IA - OSPF inter area
       N1 - OSPF NSSA external type 1, N2 - OSPF NSSA external type 2
       E1 - OSPF external type 1, E2 - OSPF external type 2
       i - IS-IS, L1 - IS-IS level-1, L2 - IS-IS level-2, ia - IS-IS inter area
       * - candidate default

Routing table for VRF=0
S*    0.0.0.0/0 [1/0] via 192.168.73.2, port2, [1/0]
      [1/0] via 192.168.1.1, port1, [10/0]
C     10.0.1.0/24 is directly connected, port3
C     192.168.1.0/24 is directly connected, port1
C     192.168.73.0/24 is directly connected, port2
```

Exhibit A shows the source NAT global setting and exhibit B shows the routing table on FortiGate.

Based on the exhibits, which two statements about increasing the port2 interface priority to 20 are true? (Choose two.)

- A. All the existing sessions that do not use SNAT will be flushed and routed through port1.
- B. All the existing sessions will continue to use port2, and new sessions will use port1.
- C. All the existing sessions using SNAT will be flushed and routed through port1.
- D. All the existing sessions will be blocked from using port1 and port2.

Correct Answer: AC

**QUESTION 5**

Which two protocols in the IPsec suite are most used for authentication and encryption? (Choose two)

- A. Secure Shell (SSH)
- B. Encapsulating Security Payload (ESP)

- C. Internet Key Exchange (IKE)
- D. Transport Layer Security (TLS)
- E. Security Association (SA)

Correct Answer: BC

[Latest NSE7\\_SDW-7.0 Dumps](#)

[NSE7\\_SDW-7.0 Practice Test](#)

[NSE7\\_SDW-7.0 Braindumps](#)