

NSE8_810^{Q&As}

Fortinet Network Security Expert 8 Written Exam (810)

Pass Fortinet NSE8_810 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

https://www.pass2lead.com/nse8_810.html

100% Passing Guarantee 100% Money Back Assurance

Following Questions and Answers are all new published by Fortinet Official Exam Center

Instant Download After Purchase

100% Money Back Guarantee

😳 365 Days Free Update

800,000+ Satisfied Customers





QUESTION 1

Exhibit Click the Exhibit button. The exhibit shows the steps for creating a URL rewrite policy on a FortiWeb. Which statement represents the purpose of this policy?

A Exhibit

```
config waf url-rewrite-rule
edit "NSE8-rule"
set action redirect
set location "https://$0/$1"
set host-status disable
set host-use-pserver disable
set referer-status disable
set referer-use-pserver disable
set url-status disable
config match-condition
edit 1
set reg-exp "(.*)"
set protocol-filter enable
next
edit 2
set object http-url
set reg-exp "^/(.*)$"
next
end
next
end
config waf url-rewrite url-rewrite-policy
edit "nse8-rewrite"
config rule
edit 1
set url-rewrite-rule-name "NSE8-rule"
next
end
next
end
```

A. The policy redirects all HTTP URLs to HTTPS.

- B. The policy redirects all HTTPS URLs to HTTP.
- C. The policy redirects only HTTPS URLs containing the $^{\prime\prime}$ (. *) S string to HTTP.

×




D. The pokey redirects only HTTP URLs containing the // (.*)S string to HTTPS.

Correct Answer: A

QUESTION 2

Click the Exhibit button.



Only users authenticated in FortiGate-B can reach the server. A customer wants to deploy a single sign-on solution for IPsec VPN users. Once a user is connected and authenticated to the VPN in FortiGate-A, the user does not need to authenticate again in FortiGate ? to reach the server.

Which two actions satisfy this requirement? (Choose two.)

- A. Use Kerberos authentication.
- B. FortiGate-A must generate a RADUIS accounting packets.
- C. Use FortiAuthenticator.
- D. Use the Collector Agent.

Correct Answer: BC

QUESTION 3

An old router has been replaced by a FortiWAN device. The FortiWAN has inherited the router\\'s management IP address and now the network administrator needs to remove the old router from the FortiSIEM configuration.

Which two statements are true about this operation? (Choose two.)

- A. FortiSIEM will discover a new device for the FortiWAN with the same IP.
- B. The old router will be completely deleted from FortiSIEM\\'s CMDB.
- C. FotiSEIM needs a special syslog for FortiWAN.
- D. FortiSIM will move the old router device into the Decommission folder.

Correct Answer: AB



QUESTION 4

Exhibit Click the Exhibit button. You are trying to configure Link-Aggregation Group (LAG), but ports A and B do not appear on the list of

member options. Referring to the exhibit, which statement is correct in this situation?



A Exhibit

Chip	XAUI	Ports 1		Cross-chip
		3	Speed	offloadin
np6 0	0			
-	1	port17	1G	Yes
	1	port18		Yes
	1	port19		Yes
	1	port20	1G	Yes
	1	port21	1G	Yes
	1	port22	1G	Yes
	1	port23	1 G	Yes
	1	port24	1G	Yes
	1	port27	1 G	Yes
	1	port28	1G	Yes
	1	port25	1G	Yes
	1	port26	1G	Yes
	1	port31	1G	Yes
	1	port32	1G	Yes
	1	port29	1G	Yes
	1	port30	1G	Yes
	2	mantD	100	Vee
	3	portB	106	: Yes
	3			
 np6_3	3			Yes
 np6_1	3	port1	1G	
 np6_1	3 1 0 1	port1 port2	1G	 Yes
 np6_1	3 1 0 1 1	port1 port2 port3	1G 1G 1G	 Yes Yes
 np6_1	3 1 0 1 1 1	port1 port2	1G 1G 1G	Yes Yes Yes Yes Yes
 np6_1	3 1 0 1 1 1 1	port1 port2 port3 port4	1G 1G 1G 1G	Yes Yes Yes Yes Yes Yes
 np6_1	3 1 0 1 1 1 1 1	port1 port2 port3 port4 port5	1G 1G 1G 1G 1G 1G	Yes Yes Yes Yes Yes Yes Yes
 np6_1	3 1 0 1 1 1 1 1 1	port1 port2 port3 port4 port5 port6	1G 1G 1G 1G 1G 1G	Yes Yes Yes Yes Yes Yes Yes
 np6_1	3 1 0 1 1 1 1 1 1 1	port1 port2 port3 port4 port5 port6 port7	1G 1G 1G 1G 1G 1G 1G 1G	Yes Yes Yes Yes Yes Yes Yes Yes
 np6_1	3 1 0 1 1 1 1 1 1 1 1	port1 port2 port3 port4 port5 port6 port7 port8	1G 1G 1G 1G 1G 1G 1G 1G 1G 1G	Yes Yes Yes Yes Yes Yes Yes Yes Yes
 np6_1	3 1 0 1 1 1 1 1 1 1 1 1 1	port1 port2 port3 port4 port5 port6 port7 port8 port1:	1G 1G 1G 1G 1G 1G 1G 1G 1G 1 1 1 2 1 1 5 2	Yes Yes Yes Yes Yes Yes Yes Yes Yes Yes
 np6_3	3 1 0 1 1 1 1 1 1 1 1 1 1	port1 port2 port3 port4 port5 port6 port7 port8 port12	1G 1G 1G 1G 1G 1G 1G 1 1 1 1 2 1 5 1 5 1 5 1 5 1 5 1 5 1 5 1	Yes Yes Yes Yes Yes Yes Yes Yes Yes Yes
 np6_1	3 1 0 1 1 1 1 1 1 1 1 1 1 1	port1 port2 port3 port4 port5 port6 port7 port8 port12 port12 port9	1G 1G 1G 1G 1G 1G 1G 1G 1 1 1 1 2 1 3 1 3 3 3 3 3 3 3 3 3 3 3 3	Yes Yes Yes Yes Yes Yes Yes Yes Yes Yes
np6_:	3 1 0 1 1 1 1 1 1 1 1 1 1 1 1 1	port1 port2 port3 port4 port5 port6 port6 port7 port8 port12 port12 port12	1G 1G 1G 1G 1G 1G 1G 1G 1 1 1 1 1 5 1 6 1 5 1 6	Yes Yes Yes Yes Yes Yes Yes Yes Yes Yes
np6_	3 1 0 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	port1 port2 port3 port4 port5 port6 port7 port8 port12 port12 port12 port12	1G 1G 1G 1G 1G 1G 1G 1G 1G 1 1G 2 1G 2	Yes Yes Yes Yes Yes Yes Yes Yes Yes Yes
np6_	3 1 0 1 1 1 1 1 1 1 1 1 1 1 1 1	port1 port2 port3 port4 port5 port6 port7 port8 port12 port12 port12 port12 port12 port13 port14	1G 1G 1G 1G 1G 1G 1G 1G 1G 1 1 1 1 5 1 6 1 6 1 6 1 6 1 6 1 6 1 6 1	Yes Yes Yes Yes Yes Yes Yes Yes Yes Yes
np6_	3 1 0 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	port1 port2 port3 port4 port5 port6 port7 port8 port12 port12 port12 port12 port12 port12 port12 port14	1G 1G 1G 1G 1G 1G 1G 1G 1G 1 1 1 1 5 1 6 1 6 1 6 1 6 1 6 1 6 1 6 1	Yes Yes Yes Yes Yes Yes Yes Yes Yes Yes

.

A. The FortiGate model being used does not support LAG.

X



- B. The FortiGate model does not have an Integrated Switch Fabric (ISF).
- C. The FortiGate SFP+ slot does not have the correct module.
- D. The FortiGate interfaces are defective and require replacement.

Correct Answer: B

QUESTION 5

Exhibit

Click the Exhibit button.

The exhibit shows the configuration of a service protection profile (SPP) in a FortiDDoS device.

Which two statements are true about the traffic matching being inspected by this SPP? (Choose two.)

🛋 Exhibit	
SPP ID	0
Inbound Operating Mode	○ Detection ● Prevention
Outbound Operating Mode	O Detection • Prevention
SYN Flood Mitigation Direction	Inbound Outbound
SYN With Payload Direction	Inbound Outbound
SYN Flood Mitigation Mode	• SYN Cookie O ACK Cookie O SYN Retransmission
Adaptive Mode Adaptive Limit (in percentage)	○ Fixed ● Adaptive 200
	Range: 100-300
	Save Refresh

A. Traffic that does match any spp policy will not be inspection by this spp.

B. FortiDDos will not send a SYNACK if a SYN packet is coming from an IP address that is not the legtimate IP (LIP) address table.

C. FortiDooS will start dropping packets as soon as the traffic executed the configured maintain threshold.

D. SYN packets with payloads will be drooped.

Correct Answer: AB



NSE8_810 VCE Dumps

NSE8 810 Practice Test

NSE8 810 Study Guide