

P9530-039^{Q&As}

IBM WebSphere MQ Technical Sales Mastery Test v2

Pass IBM P9530-039 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.pass2lead.com/p9530-039.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by IBM Official Exam Center

- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers



QUESTION 1

If a .NET program using WebSphere MQ wishes to communicate with a Java program using WebSphere MQ, which of the following is NOT true?

- A. The Java program can use the WebSphere MQ classes for Java.
- B. The .NET program can use the WebSphere MQ classes for .NET.
- C. The Java program can use the WebSphere MQ classes for JMS.
- D. The .NET program can use the WebSphere MQ classes for NMS.

Correct Answer: D

QUESTION 2

Which topic string is NOT valid for a subscribing application to get all messages about fresh fruit if a topic tree exists with the following topic hierarchy: deli/fresh; deli/tinned/nuts; deli/tinned/meat?

- A. deli
- B. deli+/fruit
- C. deli/fresh/fruit
- D. deli/#

Correct Answer: A

QUESTION 3

In order to write messages to a queue what operation must be done first?

- A. Connect to the queue
- B. Verify queue is empty
- C. Set the queue to read/write mode
- D. Open the queue

Correct Answer: D

QUESTION 4

To write a message to a WebSphere MQ v7 queue, which of the following MQI API calls is NOT a required step of the application programming code?

- A. MQCONM
- B. MQPUT
- C. MQSET
- D. MQOPEN

Correct Answer: C

QUESTION 5

What commands are used to start and stop MQ tracing?

- A. mqtrace and mqstop
- B. trace and endtrace
- C. strmqtrc and endmqtrc
- D. traceon and traceoff

Correct Answer: C

[P9530-039 PDF Dumps](#)

[P9530-039 VCE Dumps](#)

[P9530-039 Practice Test](#)