

# P9530-039<sup>Q&As</sup>

IBM WebSphere MQ Technical Sales Mastery Test v2

## Pass IBM P9530-039 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.pass2lead.com/p9530-039.html>

100% Passing Guarantee  
100% Money Back Assurance

Following Questions and Answers are all new published by IBM Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers



**QUESTION 1**

Which of the following is NOT a WebSphere MQ v7 installable component?

- A. WebSphere MQ Broker
- B. WebSphere MQ Server
- C. WebSphere MQ Explorer
- D. WebSphere MQ Client

Correct Answer: A

---

**QUESTION 2**

In order to run MQv7 on a distributed platform with earlier versions of WebSphere MQ running on the same physical server, what must you do?

- A. This configuration is not allowed.
- B. Install MQv7 into a different directory than previous versions.
- C. Map listeners to different ports.
- D. Both B and C.

Correct Answer: A

---

**QUESTION 3**

If an application program wishes to put messages on a queue, which resource is NOT required for an administrator to create?

- A. Queue
- B. Channel
- C. Queue Manager
- D. OAM Authorities

Correct Answer: B

---

**QUESTION 4**

What is the holding queue for messages that cannot be delivered to the destination queues?

- A. Dead-letter queue

- B. Backout queue
- C. Transmission queue
- D. Undeliverable messages are simply discarded from the system

Correct Answer: A

---

#### QUESTION 5

What happens to messages that have been read (MQGET) from a queue as part of a transaction in the event of an error during the transaction?

- A. Message moved to dead-letter-queue.
- B. Message sent to error log.
- C. Message put back on queue.
- D. Nothing, message already consumed.

Correct Answer: D

[Latest P9530-039 Dumps](#)

[P9530-039 PDF Dumps](#)

[P9530-039 Braindumps](#)