

PL-500^{Q&As}

Microsoft Power Automate RPA Developer

Pass Microsoft PL-500 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.pass2lead.com/pl-500.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Microsoft
Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers



QUESTION 1

You have an automation solution that uses a desktop flow. The flow reads data from a file that is stored on a user's machine and writes the data to an application. You import the solution to an environment that is connected to another user's machine. The user reports that the flow fails. An alert indicates that the path to a file does not exist. You confirm that the file is present on the user's desktop. You need to resolve the issue.

What should you do?

- A. Move the file to the user's documents folder.
- B. Move the file to the user's OneDrive storage.
- C. Delete and recreate the file.
- D. Change the location of the file to a specific path that is not dependent on the signed-in user.

Correct Answer: D

QUESTION 2

A Power Automate developer created the following script for the Member Management System desktop flow:

```
DF01 function ExecuteScript(){  
DF02     document.GetElementsByClassName("address")[0].children[0].innerText  
DF03 }
```

You need to choose the two optical character recognition (OCR) engines that are able to extract text from the members' secondary identification.

Which two OCR technologies achieve this goal? Each correct answer presents a complete solution.

NOTE: Each correct selection is worth one point.

- A. Windows engine
- B. IBM Cognitive Services
- C. Google Tesseract engine
- D. Azure Cognitive Services

Correct Answer: AC

From Microsoft's documentation: "Power Automate supports the Windows OCR and Tesseract engines."

QUESTION 3

HOTSPOT

You create an environment for a company. You need to configure security to meet the company's requirements and follow the principle of least privilege. Which security roles should you assign? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Hot Area:

Requirement	Security role
A user must be able to register new machines in the environment.	Environment Maker Desktop Flows Machine Owner
A user must be able to share their machine with another user.	Environment Maker Desktop Flows Machine User Desktop Flows Machine User Can Share
A user must be able to run desktop flows on a registered machine.	Environment Maker Desktop Flows Machine User Desktop Flows Machine User Can Share
A user must be able to create a machine group and add machines to the machine group.	Environment Maker Desktop Flows Machine User Desktop Flows Machine Owner


Correct Answer:

Requirement	Security role
A user must be able to register new machines in the environment.	Environment Maker Desktop Flows Machine Owner
A user must be able to share their machine with another user.	Environment Maker Desktop Flows Machine User Desktop Flows Machine User Can Share
A user must be able to run desktop flows on a registered machine.	Environment Maker Desktop Flows Machine User Desktop Flows Machine User Can Share
A user must be able to create a machine group and add machines to the machine group.	Environment Maker Desktop Flows Machine User Desktop Flows Machine Owner

QUESTION 4

HOTSPOT

You are creating a custom selector for a Microsoft Excel workbook by using a Power Automate desktop flow.



Hot Area:

Questions	Response
A user accidentally changes the name of the Microsoft Excel file to Final_Budget2022.xlsx . Will the selector still work?	Yes No
A Microsoft Excel file contains a worksheet with the name Budget . Will the selector be able to find the worksheet?	Yes No
Which value will be extracted by using this selector?	The value from cell A3. The value of a cell where the ID equals ARowIdx. The value of any cell defined by RowIdx variable in column A. The value of any cell defined by the ARowIdx variable in column A.
A user needs to change the name of a table to Budget2022 in a sheet. Which part of the selector must the user modify?	Update both the pane ID in line 3 and table name in line 5. Update the pane ID in line 3. Update the table name in line 5.

Correct Answer:

Questions	Response
A user accidentally changes the name of the Microsoft Excel file to Final_Budget2022.xlsx . Will the selector still work?	<input type="radio"/> Yes <input checked="" type="radio"/> No
A Microsoft Excel file contains a worksheet with the name Budget . Will the selector be able to find the worksheet?	<input checked="" type="radio"/> Yes <input type="radio"/> No
Which value will be extracted by using this selector?	<input type="radio"/> The value from cell A3. <input type="radio"/> The value of a cell where the ID equals ARowIdx. <input checked="" type="radio"/> The value of any cell defined by RowIdx variable in column A. <input type="radio"/> The value of any cell defined by the ARowIdx variable in column A.
A user needs to change the name of a table to Budget2022 in a sheet. Which part of the selector must the user modify?	<input type="radio"/> Update both the pane ID in line 3 and table name in line 5. <input type="radio"/> Update the pane ID in line 3. <input checked="" type="radio"/> Update the table name in line 5.

QUESTION 5

HOTSPOT

You are developing automation solutions for a company.

You need to select the appropriate error handling action for the following scenarios. Which actions should you use? To answer, select the appropriate options in the answer area. NOTE: Each correct selection is worth one point.

Hot Area:

Scenario	Response
A desktop flow with multiple actions tries to launch Microsoft Excel with a blank workbook. The process fails.	<input type="checkbox"/> Configure run after only. <input type="checkbox"/> Handle the error within the action only. <input type="checkbox"/> Handle the error within the On block error only. <input type="checkbox"/> Handle the error within the On block error or within the action.
A desktop flow with multiple actions tries to sign into a website by using the Chrome browser. The process occasionally fails.	<input type="checkbox"/> Configure run after only. <input type="checkbox"/> Handle the error within the action only. <input type="checkbox"/> Handle the error within the On block error only. <input type="checkbox"/> Handle the error within the On block error or within the action.
A cloud flow must update a Boolean variable when a specific action fails.	<input type="checkbox"/> On block error <input type="checkbox"/> Configure run after <input type="checkbox"/> Action-level error handling

Correct Answer:

Scenario	
A desktop flow with multiple actions tries to launch Microsoft Excel with a blank workbook. The process fails.	<input type="radio"/> Configure run after only. <input type="radio"/> Handle the error within the action only. <input checked="" type="radio"/> Handle the error within the On block error only. <input type="radio"/> Handle the error within the On block error or within the action.
A desktop flow with multiple actions tries to sign into a website by using the Chrome browser. The process occasionally fails.	<input checked="" type="radio"/> Configure run after only. <input type="radio"/> Handle the error within the action only. <input type="radio"/> Handle the error within the On block error only. <input type="radio"/> Handle the error within the On block error or within the action.
A cloud flow must update a Boolean variable when a specific action fails.	<input checked="" type="radio"/> On block error <input type="radio"/> Configure run after <input type="radio"/> Action-level error handling

[PL-500 Practice Test](#)

[PL-500 Study Guide](#)

[PL-500 Exam Questions](#)