

SCA_SLES15^{Q&As}

SUSE Certified Administrator in SUSE Linux Enterprise Server 15

Pass SUSE SCA_SLES15 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

https://www.pass2lead.com/sca_sles15.html

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by SUSE
Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers



QUESTION 1

What is the default port a VNC Client uses to connect?

- A. TCP 5901
- B. DP 5901
- C. TCP 5801
- D. DP 5801

Correct Answer: A

https://en.wikipedia.org/wiki/Virtual_Network_Computing#:~:text=VNC%20by%20default%20uses%20TCP,Java%2Denabled%20web%2Dbrowser. VNC by default uses TCP port 5900+N,[6][7] where N is the display number (usually :0 for a physical display). Several implementations also start a basic HTTP server on port 5800+ N to provide a VNC viewer as a Java applet, allowing easy connection through any Java-enabled web-browser. Different port assignments can be used as long as both client and server are configured accordingly. A HTML5 VNC client implementation for modern browsers (no plugins required) exists too.[8]

QUESTION 2

Which process ID is assigned to systemd?

- A. it is the only process with no system ID.
- B. 1
- C. 1001
- D. 0

Correct Answer: B

Explanation: The program systemd is the process with process ID 1. It is responsible for initializing the system in the required way. systemd is started directly by the kernel and resists signal 9, which normally terminates processes. All other programs are either started directly by systemd or by one of its child processes.
<https://documentation.suse.com/sles/15-GA/html/SLES-all/cha-systemd.html>

QUESTION 3

Which statements regarding subvolumes in a Btrfs filesystem are true (Choose two)

- A. Every subvolume on a Btrfs filesystem must have the same quota if quotas are implemented.
- B. Even though subvolumes in Btrfs appear to be subdirectories, subvolumes can be mounted separately. The `-o sub=`
- C. Every subvolume on a Btrfs filesystem must have a name that begins with the "@" character.

D. Multiple virtual filesystems can be created inside the BtrFS filesystem.

Correct Answer: BD

QUESTION 4

Which statements about using the -U option and the -F option when running the rpm command are true? (Choose two)

- A. The -U option will install a package whether or not a previous version of the package is already installed.
- B. The -F option will install a package whether or not a previous version of the package is already installed.
- C. The -U option remove all binaries, scripts, links, and documentation files associated with the RPM in the RPM Database.
- D. The -F option will verify (fix) a broken application based on the information in the RPM Database.
- E. The -U option will remove all the binaries in the package from the file system and update the RPM Database.
- F. The -F option will install a package only if a previous version of the package is already installed.

Correct Answer: DE

QUESTION 5

Which file contains information about secondary groups on the system?

- A. /etc/second.grp
- B. /var/share/group
- C. etc/sysconflg/group
- D. /etc/group
- E. /var/lib/group

Correct Answer: A

[Latest SCA_SLES15 Dumps](#)

[SCA_SLES15 Practice Test](#)

[SCA_SLES15 Study Guide](#)