

SEC504^{Q&As}

Hacker Tools, Techniques, Exploits and Incident Handling

Pass SANS SEC504 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.pass2lead.com/sec504.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by SANS
Official Exam Center

- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers



QUESTION 1

Adam works as a Network Administrator for PassGuide Inc. He wants to prevent the network from DOS attacks. Which of the following is most useful against DOS attacks?

- A. SPI
- B. Distributive firewall
- C. Honey Pot
- D. Internet bot

Correct Answer: A

QUESTION 2

Adam, a novice web user, is very conscious about the security. He wants to visit the Web site that is known to have malicious applets and code. Adam always makes use of a basic Web Browser to perform such testing.

Which of the following web browsers can adequately fill this purpose?

- A. Mozilla Firefox
- B. Internet explorer
- C. Lynx
- D. Safari

Correct Answer: C

QUESTION 3

You are the Security Consultant and have been hired to check security for a client's network. Your client has stated that he has many concerns but the most critical is the security of Web applications on their Web server.

What should be your highest priority then in checking his network?

- A. Setting up IDS
- B. Port scanning
- C. Vulnerability scanning
- D. Setting up a honey pot

Correct Answer: C

QUESTION 4

John works as a professional Ethical Hacker. He has been assigned a project to test the security of www.we-are-secure.com. On the We-are-secure login page, he enters =\\'or\\'\\'=\\' as a username and successfully logs in to the user page of the Web site.

The we-are-secure login page is vulnerable to a _____.

- A. Dictionary attack
- B. SQL injection attack
- C. Replay attack
- D. Land attack

Correct Answer: B

QUESTION 5

A user is sending a large number of protocol packets to a network in order to saturate its resources and to disrupt connections to prevent communications between services.

Which type of attack is this?

- A. Vulnerability attack
- B. Impersonation attack
- C. Social Engineering attack
- D. Denial-of-Service attack

Correct Answer: D

[SEC504 Practice Test](#)

[SEC504 Exam Questions](#)

[SEC504 Braindumps](#)