

SPLK-2001^{Q&As}

Splunk Certified Developer

Pass Splunk SPLK-2001 Exam with 100% Guarantee

Free Download Real Questions & Answers PDF and VCE file from:

https://www.pass2lead.com/splk-2001.html

100% Passing Guarantee 100% Money Back Assurance

Following Questions and Answers are all new published by Splunk
Official Exam Center

- Instant Download After Purchase
- 100% Money Back Guarantee
- 365 Days Free Update
- 800,000+ Satisfied Customers





QUESTION 1

Which of the following is true of a namespace?

- A. The namespace is a type of token filter.
- B. The namespace includes an app attribute which cannot be a wildcard.
- C. The namespace filters the knowledge objects returned by the REST API.
- D. The namespace does not filter knowledge objects returned by the REST API.

Correct Answer: D

QUESTION 2

Which of the following options would be the best way to identify processor bottlenecks of a search?

- A. Using the REST API.
- B. Using the search job inspector.
- C. Using the Splunk Monitoring Console.
- D. Searching the Splunk logs using index=" internal".

Correct Answer: C

QUESTION 3

Assuming permissions are set appropriately, which REST endpoint path can be used by someone with a power user role to access information about mySearch, a saved search owned by someone with a user role?

- A. /servicesNS/-/data/saved/searches/mySearch
- B. /servicesNS/object/saved/searches/mySearch
- C. /servicesNS/search/saved/searches/mySearch
- D. /servicesNS/-/search/saved/searches/mySearch

Correct Answer: D

Reference: https://docs.splunk.com/Documentation/Splunk/8.1.2/RESTUM/RESTusing

QUESTION 4

There is a global search named "global_search" defined on a form as shown below:

https://www.pass2lead.com/splk-2001.html

2024 Latest pass2lead SPLK-2001 PDF and VCE dumps Download

index-_internal source-*splunkd.log | stats count by component, log_level

Which of the following would be a valid post-processing search? (Select all that apply.)

- A. | tstats count
- B. sourcetype=mysourcetype
- C. stats sum(count) AS count by log level
- D. search log_level=error | stats sum(count) AS count by component

Correct Answer: CD

Reference: https://docs.splunk.com/Documentation/Splunk/8.1.2/Viz/Savedsearches

QUESTION 5

Which of the following search commands can be used to perform statistical queries on indexed fields in TSIDX files?

- A. stats
- B. tstats
- C. tscollect
- D. transaction

Correct Answer: B

Reference: https://docs.splunk.com/Documentation/Splunk/8.1.2/SearchReference/Tstats

SPLK-2001 PDF Dumps SPLK-2001 VCE Dumps SPLK-2001 Braindumps