

VCS-256^{Q&As}

Administration of Veritas InfoScale Availability 7.1 for UNIX/Linux

Pass Veritas VCS-256 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.pass2lead.com/vcs-256.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Veritas
Official Exam Center

- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers



QUESTION 1

An administrator is notified that a service group faulted due to a disk group failure.

Which two Veritas Cluster Server logs can the administrator review to determine the reason for the failure? (Select two.)

- A. vcs_A.log
- B. DG_A.log
- C. FailEvents_A.log
- D. engine_A.log
- E. DiskGroup_A.log

Correct Answer: DE

QUESTION 2

Which command can an administrator run on each node to gather logs containing information on the installed software, cluster configuration, systems, logs, and related information to create a file for Veritas Technical Support analysis?

- A. /var/VRTSvca/logs/logcollect
- B. /opt/VRTSvca/bin/hagetcf
- C. /opt/VRTSvca/bin/nodedump
- D. /opt/VRTSvca/bin/haconfig -dump

Correct Answer: B

Reference: https://www.veritas.com/support/en_US/doc/129674930-129674933-0/uxrt-731_v44377945-129674933

QUESTION 3

What happens when the `hastop -local -force` command is issued on the active node in a two-node active/passive cluster?

- A. The services shut down on the active node and are brought up on the passive node.
- B. The passive node becomes the active node, and all service groups are automatically switched to the new active node.
- C. The services continue to run on the active node while HAD is stopped.
- D. The online service groups on the active node are taken offline and remain offline until started manually.

Correct Answer: C

QUESTION 4

As part of the consolidation efforts in a data center, the administrator decides to merge two two-node Veritas Cluster Server (VCS) clusters into a four-node VCS cluster. The source and target clusters are on the same networks for LLT communication. The administrator performs the following tasks as preparation for the merge while both clusters are still running:

modifies /etc/llttab files on the source cluster systems so the cluster ID is changed to the cluster ID of the target cluster
modifies /etc/llthosts files on all systems to include the four nodes
modifies /etc/gabtab files on all systems to require the four systems to seed
ensures the source cluster systems can see the fencing disks used by the target cluster
copies the fencing configuration files from the target cluster systems to the source cluster systems
adds the source cluster systems to the target cluster configuration using the `hasys -add` command

After the preparation is complete, the administrator stops the source cluster leaving the applications running, then stops the whole communication stack and restarts it in the correct order. When the administrator attempts to start the cluster again on the source cluster systems, they fail to join the four-node cluster.

Which preparation step that the administrator failed to perform is preventing the source cluster systems from joining the four-node cluster?

- A. The cluster needs to be manually seeded using `gabconfig -x` on the source cluster systems.
- B. The target `main.cf` file needs to be copied to the source cluster systems.
- C. The service group configuration of the source cluster needs to be applied to the target cluster.
- D. The cluster UUID from the target cluster needs to be copied to the source cluster.

Correct Answer: D

QUESTION 5

A database administrator needs to work on a database protected by a service group named DatabaseSG1, and plans to stop and restart the database several times throughout the day. Which command should the cluster administrator use to accommodate the database administrator?

- A. `hagrp -freeze DatabaseSG1`
- B. `hagrp -modify DatabaseSG1 Active=0`
- C. `hagrp -freeze -all -force`
- D. `haclus -modify DatabaseSG1 Enable=0`

Correct Answer: A

[VCS-256 Study Guide](#)

[VCS-256 Exam Questions](#)

[VCS-256 Braindumps](#)