

# VCS-256<sup>Q&As</sup>

Administration of Veritas InfoScale Availability 7.1 for UNIX/Linux

## Pass Veritas VCS-256 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.pass2lead.com/vcs-256.html>

100% Passing Guarantee  
100% Money Back Assurance

Following Questions and Answers are all new published by Veritas  
Official Exam Center

- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers



**QUESTION 1**

An administrator has a three-node cluster with low-priority heartbeat link and SCSI-3 I/O fencing configured. Priority is given to node1, and each node is running a separate application. What will occur when all dedicated heartbeats fail at the same time?

- A. The cluster faults and the subcluster with node1 in it panics.
- B. The cluster moves all applications to node1.
- C. The cluster continues to run without impact to the application.
- D. The cluster faults and the subcluster with node1 in it remains online.

Correct Answer: D

---


**QUESTION 2**

Refer to the exhibit.

In a three node cluster, the orasg service group is online on one of the systems. The service group has the resources and resource dependencies shown in the exhibit. All resources are critical resources and the following service group attributes have been configured:

ManageFaults = ALL FaultPropagation = 0 AutoFailOver = 1

What is the expected behavior when the mnt2 resource fails?



- A. The service group fails over to one of the other systems in the cluster.
- B. The service group is taken offline and remains offline in the cluster.
- C. The mnt2 resource is taken offline, all other resources remain online.
- D. The mnt2 resource and all its parent resources are taken offline, the rest remain online.

Correct Answer: A

### QUESTION 3

Which requirement must be met to allow two separate Veritas InfoScale clusters to share a common private heartbeat network switch?

- A. The GAB network IDs must be unique across the clusters.
- B. All node IDs must be unique across the clusters.

C. The cluster IDs must be unique across the clusters.

D. All LLT node IDs must be unique across the clusters.

Correct Answer: D

Reference: [https://www.veritas.com/support/en\\_US/doc/129683742-129683747-0/uxrt-731\\_v39378991-129683747](https://www.veritas.com/support/en_US/doc/129683742-129683747-0/uxrt-731_v39378991-129683747)

---

#### QUESTION 4

Which two standard Veritas Cluster Server resource types can determine if an application is taken offline unexpectedly outside the cluster's control? (Select two.)

A. Process

B. FileOnOnly

C. CoordPoint

D. Application

E. Phantom

Correct Answer: AE

---

#### QUESTION 5

An administrator wants to install InfoScale Availability.

Which hardware requirement ensures successful installation of Veritas Cluster Server?

A. at least one SCSI or Fibre Channel Host Bus Adapter per system

B. at least one dedicated Ethernet interface per system for private interconnects

C. all shared storage disks support SCSI-3 Persistent Reservations

D. gigabit Ethernet using enterprise-class switches for private interconnects

Correct Answer: AD

---

[Latest VCS-256 Dumps](#)

[VCS-256 VCE Dumps](#)

[VCS-256 Study Guide](#)