

VCS-279^{Q&As}

Administration of Veritas NetBackup 8.1.2 and NetBackup Appliances
3.1.2

Pass Veritas VCS-279 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.pass2lead.com/vcs-279.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Veritas
Official Exam Center

- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers



QUESTION 1

Which command should an administrator use to generate a list of all files backed up on a client for a specific backup job?

- A. bpimage
- B. bplist
- C. bpimagelist
- D. bpdjobs

Correct Answer: B

QUESTION 2

An administrator has a master server running over 50,000 jobs per day. What can the administrator do to reduce the load on the master server?

- A. replicate the backups to another master server domain
- B. configure a new master server to distribute the backup load
- C. add additional media servers to the environment
- D. configure client-side deduplication and load balancing media servers

Correct Answer: C

QUESTION 3

A NetBackup master server has commenced writing four long-running duplication jobs to an AdvancedDisk disk pool. The value of "Maximum concurrent jobs" for the storage unit and "Limit I/O streams" for the disk pool are both set to 4.

There are 35 jobs queued on the master server that require this disk pool: 5 replication jobs with priority 9999 10 backup jobs with priority 999 20 duplication jobs with priority 99

Two restore jobs that require this disk pool are then submitted with default priority. Which job type goes active next?

- A. Backup
- B. Duplication
- C. Replication
- D. Restore

Correct Answer: D

QUESTION 4

Which feature is compatible with the NBU-Catalog policy type?

- A. Disable client-side deduplication
- B. Bare Metal Restore
- C. Checkpoint restart
- D. Enable granular recovery

Correct Answer: B

QUESTION 5

An administrator is attempting to protect 500TB of Windows file system data in a 4-hour backup window, when the file servers are idle. The daily change rate for the data is below 1%, and an Initial full backup has been performed to a high performance disk array configured as an Advanced Disk storage unit.

What can the administrator do to ensure subsequent backups complete within the backup window?

- A. configure NetBackup Accelerator
- B. configure multiplexing
- C. configure client-side deduplication
- D. configure Synthetic backups

Correct Answer: D

[VCS-279 Practice Test](#)

[VCS-279 Study Guide](#)

[VCS-279 Braindumps](#)