

# 1Z0-858<sup>Q&As</sup>

Java Enterprise Edition 5 Web Component Developer Certified Professional Exam

## Pass Oracle 1Z0-858 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

https://www.pass2lead.com/1z0-858.html

### 100% Passing Guarantee 100% Money Back Assurance

Following Questions and Answers are all new published by Oracle Official Exam Center

Instant Download After Purchase

- 100% Money Back Guarantee
- 😳 365 Days Free Update
- 800,000+ Satisfied Customers





#### **QUESTION 1**

You need to create a JSP that generates some JavaScript code to populate an array of strings used on the client-side. Which JSP code snippet will create this array?

A. MY\_ARRAY = new Array();

- B. MY\_ARRAY = new Array();
- C. MY\_ARRAY = new Array();MY\_ARRAY[] = \\'\\';
- D. MY\_ARRAY = new Array();MY\_ARRAY[\$ {i}] = \\'\${serverArray[i]}\\';

Correct Answer: C

#### **QUESTION 2**

Which security mechanism uses the concept of a realm?

- A. authorization
- B. data integrity
- C. confidentiality
- D. authentication
- Correct Answer: D

#### **QUESTION 3**

Given this fragment in a servlet:

23.

if(req.isUserInRole("Admin")) {

24.

// do stuff

25.

}

And the following fragment from the related Java EE deployment descriptor:



813.
Admin
814.
Administrator
815.
900.
901.
Admin
902.
Administrator
903.
What is the result?
A. Line 24 can never be reached.
B. The deployment descriptor is NOT valid.

C. If line 24 executes, the user\\'s role will be Admin.

D. If line 24 executes, the user\\'s role will be Administrator.

E. If line 24 executes the user\\'s role will NOT be predictable.

Correct Answer: D

#### **QUESTION 4**

Given the definition of MyServlet:

11.

public class MyServlet extends HttpServlet {

12.

public void service(HttpServletRequest request,



HttpServletResponse response)

14.

throws ServletException, IOException {

15.

```
HttpSession session = request.getSession(); 16 session.setAttribute("myAttribute","myAttributeValue");
```

17.

session.invalidate();

18.

response.getWriter().println("value=" +

19.

```
session.getAttribute("myAttribute"));
```

20.

}

- 21.
- }

What is the result when a request is sent to MyServlet?

A. An IllegalStateException is thrown at runtime.

B. An InvalidSessionException is thrown at runtime.

C. The string "value=null" appears in the response stream.

D. The string "value=myAttributeValue" appears in the response stream.

Correct Answer: A

#### **QUESTION 5**

Given:

5.

public class MyTagHandler extends TagSupport {

6.

public int doStartTag() throws JspException {



try {

8.

// insert code here

9.

```
} catch(Exception ex) { /* handle exception */ }
```

10.

return super.doStartTag();

11.

} ...

42. }

Which code snippet, inserted at line 8, causes the value foo to be output?

A. JspWriter w = pageContext.getOut();

B. print("foo");

- C. JspWriter w = pageContext.getWriter();
- D. print("foo");
- E. JspWriter w = new JspWriter(pageContext.getWriter());
- F. print("foo");

G. JspWriter w = new JspWriter(pageContext.getResponse());

H. print("foo");

Correct Answer: A

#### **QUESTION 6**

Which three are true about servlet filters? (Choose three.)

- A. A filter must implement the destroy method.
- B. A filter must implement the doFilter method.
- C. A servlet may have multiple filters associated with it.
- D. A servlet that is to have a filter applied to it must implement the javax.servlet.FilterChain interface.

E. A filter that is part of a filter chain passes control to the next filter in the chain by invoking the FilterChain.forward method.



F. For each element in the web application deployment descriptor, multiple instances of a filter may be created by the web container.

Correct Answer: ABC

#### **QUESTION 7**

Given:

11.

Which three EL expressions are valid and evaluate to true? (Choose three.)

- A. \${not map.c}
- B. \${map.d or map.a}
- C. \${map.a and map.d}
- D. \${map.false or map.true}
- E. \${map.a and map.b or map.a}
- F. \${map[\\'true\\'] or map[\\'false\\']}

```
Correct Answer: ABE
```

#### **QUESTION 8**

Given:

6.

Which two successfully translate and result in a value of true? (Choose two.)

- A. \${true or false}
- B. \${requestScope[foo][0] > 500}
- C.  ${requestScope[\\foo\][1] = 420}$
- D.  ${(requestScope[\\'foo\\'][0] It 50) and (3 gt 2)}$

Correct Answer: AD

#### **QUESTION 9**



Place the appropriate element names on the left on the web application deployment descriptor on the right so that files ending in ".mpg" are associated with the MIME type "video/mpeg."

Select and Place:

Drag and Drop	
Place the appropriate element names on the left on the w deployment descriptor on the right so that files ending in ' associated with the MME type "video'mpeg."	
Web Application Deployment Descriptor Snippet	Element Names
< Place here. >	file-type
< Place here. > mpg Place here.	extension
< Place here. > video/mpeg Place here.	mime
Place here.	content-type
	sulfix
	mime-type
Date	mime-mapping

Select and Place:

rag and Drop	
Place the appropriate element names on the left on the w deployment descriptor on the right so that files ending in " associated with the NIME type "video'mpeg."	
Web Application Deployment Descriptor Snippet	Element Names
< Place here: >	file-type
< Place here. > mpg Place here.	extension
< Place here. > video/mpeg Place here.	mime
Place here.	content-type
	suffix
	mime-type
Dane	mime-mapping

Correct Answer:



ag and Brop lace the appropriate element names on the left on the w	eh annlication
eployment descriptor on the right so that files ending in ' ssociated with the MME type "video'mpeg."	
Web Application Deployment Descriptor Snippet	Element Names
< suffix > < suffix > < mpg Place here.	<u> </u>
< file-type > video/mpeg content-type	
17mm-re-	
Dane	mime-type mime-mapping

#### **QUESTION 10**

Given the security constraint in a DD:

101.

102.

103.

Foo

104.

/Bar/Baz/\*

105.

POST

106.



108.

DEVELOPER

109.

110.

And given that "MANAGER" is a valid role-name, which four are true for this security constraint? (Choose four.)

A. MANAGER can do a GET on resources in the /Bar/Baz directory.

B. MANAGER can do a POST on any resource in the /Bar/Baz directory.

C. MANAGER can do a TRACE on any resource in the /Bar/Baz directory.

D. DEVELOPER can do a GET on resources in the /Bar/Baz directory.

E. DEVELOPER can do only a POST on resources in the /Bar/Baz directory.

F. DEVELOPER can do a TRACE on any resource in the /Bar/Baz directory.

Correct Answer: ACDF

#### **QUESTION 11**

Which retrieves all cookies sent in a given HttpServletRequest request?

A. request.getCookies()

- B. request.getAttributes()
- C. request.getSession().getCookies()
- D. request.getSession().getAttributes()

Correct Answer: A

#### **QUESTION 12**

Every page of your web site must include a common set of navigation menus at the top of the page. This menu is static HTML and changes frequently, so you have decided to use JSP\\'s static import mechanism. Which JSP code snippet accomplishes this goal?

Α.



В.			
C.			
D.			
Ε.			
F.			
Correct Answer: D			

#### **QUESTION 13**

You want to create a valid directory structure for your Java EE web application, and your application uses tag files and a JAR file. Which three must be located directly in your WEB-INF directory (NOT in a subdirectory of WEB-INF)? (Choose three.)

- A. The JAR file
- B. A directory called lib
- C. A directory called tags
- D. A directory called TLDs
- E. A directory called classes
- F. A directory called META-INF

Correct Answer: BCE

#### **QUESTION 14**

In a JSP-centric web application, you need to create a catalog browsing JSP page. The catalog is stored as a List object in the catalog attribute of the webapp\\'s ServletContext object. Which scriptlet code snippet gives you access to the catalog object?

ł	4	

В.

C.

D.

Correct Answer: C

#### **QUESTION 15**

Given:



String value = getServletContext().getInitParameter("foo");

in an HttpServlet and a web application deployment descriptor that contains:

foo frodo

Which two are true? (Choose two.)

- A. The foo initialization parameter CANNOT be set programmatically.
- B. Compilation fails because getInitParameter returns type Object.
- C. The foo initialization parameter is NOT a servlet initialization parameter.
- D. Compilation fails because ServletContext does NOT have a getInitParameter method.
- E. The foo parameter must be defined within the element of the deployment descriptor.
- F. The foo initialization parameter can also be retrieved using getServletConfig().getInitParameter("foo").

Correct Answer: AC

1Z0-858 PDF Dumps

1Z0-858 Study Guide

1Z0-858 Braindumps