

# 1Z0-1043-20<sup>Q&As</sup>

Oracle Cloud Platform Application Development 2020 Specialist

## Pass Oracle 1Z0-1043-20 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.pass2lead.com/1z0-1043-20.html>

100% Passing Guarantee  
100% Money Back Assurance

Following Questions and Answers are all new published by Oracle  
Official Exam Center

- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers



**QUESTION 1**

Which three are included in the Oracle Application Development Cloud Platform services category?

- A. Oracle WebLogic Server for OCI
- B. Oracle Mobile Hub
- C. Oracle Data Integrator Cloud
- D. Visual Builder Studio
- E. Oracle Integration Cloud
- F. SOA Cloud Service

Correct Answer: ACD

---

**QUESTION 2**

When you create an Oracle WLS for OCI instance you have the option to use Oracle Identity Cloud Service to authenticate application users for your domain. Which Statement is false when you Enable Authentication Using Identity Cloud Service?

- A. This configuration is only available if the domain meets these requirements: running WebLogic Server 12c and including a load balancer.
- B. By default, all requests whose URI begins with /\_protected (two underscore characters followed by the word "protected") are protected.
- C. A trusted or confidential application has to be defined in Oracle Identity Cloud Service and associated with the WebLogic server instance using application client ID and client secret.
- D. The WebLogic Server security realm in the service instance is configured to use Oracle Identity Cloud Service for authentication only.

Correct Answer: D

<https://docs.oracle.com/en/cloud/paas/weblogic-cloud/user/using-oracle-weblogic-server-oracle-cloudinfrastructure.pdf>

---

**QUESTION 3**

Take a look at the following list of jobs that must be run prior to deploying application extensions to the Oracle Cloud Application's production instance.

- A) Create a production packaging build job.
- B) Create and configure a pipeline.
- C) Create production deployment build job.

D) Configure jobs\' privacy settings.

E) Run the pipeline.

Place these step in the proper order of execution.

A. A, C, A, B, D, E

B. B, B, C, A, D, E

C. C, A, B, C, D, E

D. D, A, C, D, B, E

Correct Answer: C

---

#### QUESTION 4

You can use the backup and restore capabilities of Oracle Cloud Infrastructure Block Volumes to return your Oracle WebLogic Server for Oracle Cloud Infrastructure domain to a specific state, or to recover from a failure.

Which statement is wrong?

A. You can restore the data only from full backup and not from incremental backup.

B. When users create a backup from a volume or restore a volume from a backup, the volume and backup don\'t have to be in the same compartment.

C. You should use the latest available Block Volume backup for creating the Block Volume, so that all the latest WLS config and data are available for restore.

D. You can either take an immediate backup of the volumes, or you can configure a backup policy that takes a future backup according to the policy\'s schedule.

Correct Answer: C

---

#### QUESTION 5

You have created the manifest file that Kubernetes uses when deploying the application to an OKE cluster in Oracle Cloud Infrastructure. Which three parameters are present in the manifest file that Kubernetes uses when deploying the application to a cluster by pulling an image from the Oracle Cloud Infrastructure Registry, if the image is private?

A. Public key

B. Container port number

C. Image path

D. Secret

E. Auth Token

Correct Answer: ACE

---

#### QUESTION 6

You have upgraded your application to implement new features that are production ready and you want to export the live database prior to publishing the new version of the application.

What should be the status of the application?

A. Pending Push Request

B. Live Locked

C. Obsolete

D. Live

Correct Answer: D

<https://docs.oracle.com/en/cloud/paas/app-builder-cloud/csapb/staging-and-publishingapplication.html#GUID-4FAD8622-4A32-46EC-92FE-074E557580CA> he live application is visible to users according to the Login Security settings for the application. Each time that you are ready to publish a new version of your application you should lock the live version of your application until the new version is published. This prevents any changes being made to the database that could be lost during the process. While the application is locked you can import the live data into the staging database, if necessary. You can unlock the application after the new version is published. You cannot make changes to a version of an application after it is published and live. To make additional changes to the application you need to create a new version. Publishing an Application Managing Data During the Development Lifecycle Creating a New Version of an Application

---

#### QUESTION 7

When considering the design of your backend, which two statements are true?

A. Each backend in an environment can be associated with multiple realms.

B. If a backend supports only a small number of users, you do not need a realm.

C. Each mobile application can connect to several backends, but only one connection can be active at a time.

D. Each backend in an environment can be associated with only one realm.

E. Each mobile application can connect to several backends at a time.

F. Each mobile application can connect only to a single backend.

Correct Answer: DE

---

**QUESTION 8**

Oracle Platform as a Service is a feature rich, robust set of Cloud services. Select two options that list the services included in this Cloud service model.

- A. Visual Builder, Data Visualization, PL/SQL, and API Platform
- B. Blockchain Platform, Analytics, Big Data Service, and Data Integrator
- C. WebLogic Server, Business Intelligence, WebCenter Portal, and Golden Gate
- D. Mobile Hub, Big Data Preparation, Data Validation Service, and CASB
- E. Digital Assistant, Autonomous Data Import, Data Save, and SOA

Correct Answer: AD

---

**QUESTION 9**

When you create a cluster, you need to download a Kubernetes configuration (kubeconfig) file for the cluster. Which three steps should be completed before downloading the kubeconfig file?

- A. Generate an API signing key pair.
- B. Verify whether you can access the cluster using Kubernetes Dashboard.
- C. Install and configure the Oracle Cloud Infrastructure CLI.
- D. Creating Kubernetes secret.
- E. Added the public key value of the API signing key pair to the User Settings for your username.

Correct Answer: ACE

<https://www.oracle.com/webfolder/technetwork/tutorials/obe/oci/oke-full/index.html>

---

**QUESTION 10**

As the team lead of a mobile project being developed using Oracle Mobile Hub, you want to:

a.

Get the Node.js-based JavaScript code written to implement the custom APIs

b.

Finetune the API design

c.

Create the connector APIs to connect to enterprise systems

Which team member should be assigned this task?

- A. Mobile App Developer
- B. Mobile Service Developer
- C. Mobile Cloud App Developer
- D. Mobile Program Manager

Correct Answer: B

<https://docs.oracle.com/en/solutions/learn-architecture-legacy-apps/learn-oracle-mobile-cloudenterprise1.html#GUID-986C1C25-3847-4D57-B898-056300122454>

[1Z0-1043-20 PDF Dumps](#)

[1Z0-1043-20 Practice Test](#)

[1Z0-1043-20 Study Guide](#)