

E20-895^{Q&As}

Backup Recovery - Avamar Expert Exam for Implementation Engineers

Pass EMC E20-895 Exam with 100% Guarantee

Free Download Real Questions & Answers PDF and VCE file from:

https://www.pass2lead.com/e20-895.html

100% Passing Guarantee 100% Money Back Assurance

Following Questions and Answers are all new published by EMC
Official Exam Center

- Instant Download After Purchase
- 100% Money Back Guarantee
- 365 Days Free Update
- 800,000+ Satisfied Customers



2023 Latest pass2lead E20-895 PDF and VCE dumps Download

QUESTION 1

An EMC Avamar customer notices that the Activity Monitor reports "Waiting client" for a particular client in a group backup.

What is a possible cause for this issue?

- A. The cid.bin file is missing on the client.
- B. ascd is not running on the client.
- C. Multiple avtar processes are running on the client.
- D. The dispatcher table file is missing on the Avamar server.

Correct Answer: A

QUESTION 2

An Oracle client is performing backups to a Dell EMC Data Domain through Dell EMC Avamar. It performs full backups once a week and incrementals on all other days. An administrator adds a second Data Domain to the Avamar and directs the Oracle backups to it.

What must be done for backups to run as expected?

- A. First backup to the new Data Domain must be a full
- B. Client must be re-registered to the new Data Domain
- C. Full backups must be migrated to the new Data Domain
- D. Old Data Domain must be retired

Correct Answer: A

Reference: https://www.emc.com/collateral/TechnicalDocument/docu89851.pdf (23)

QUESTION 3

An EMC Avamar customer has a two-node Microsoft SQL 2008 cluster with one instance of Microsoft SQL. To ensure successful backups of the SQL database, what is the order for installation?

A. Install the Avamar Windows client and Avamar SQL client on both nodes in the cluster. Configure the Avamar Cluster Client on the active node in the cluster.

- B. Install the Avamar Windows client and Avamar SQL client on both nodes in the cluster. Create AvamarBackupUser and configure the Avamar Cluster Client on both nodes in the cluster.
- C. Install Avamar Windows client on both nodes. Install the Avamar SQL client on the active node in the cluster.
- D. Install the Avamar Windows client and Avamar SQL client on both nodes in the cluster.



2023 Latest pass2lead E20-895 PDF and VCE dumps Download

Configure the Avamar Cluster Client on both nodes in the cluster.

Correct Answer: A

QUESTION 4

A newly hired backup administrator has taken control of a Dell EMC Avamar server that is protecting an Exchange DAG environment with 3 nodes. Backups of the DAG are running successfully. The administrator wants to perform an ondemand backup of the entire Exchange DAG, but cannot find a client that represents the DAG.

What is a possible reason for this?

- A. The DAG is in an IP-less configuration
- B. The client that represents the DAG is powered off
- C. The Cluster Configuration Tool has not been run
- D. Only DAGs with 5 or more nodes have a client representing the DAG

Correct Answer: A

QUESTION 5

A customer has purchased a backup solution consisting of an EMC Avamar server with Data Domain integration to support Microsoft Exchange VSS backups. Test databases were created for the purposes of confirming end-to-end

functionality. The test database backups, using the Exchange VSS plug-in, complete successfully but they are being stored on the Avamar server instead of being sent directly to the Data Domain system.

What is the most probable cause of this behavior?

- A. Test databases are greater than 10 GB
- B. Test databases are smaller than 10 MB
- C. Avamar and Data Domain integration does not support the Exchange VSS plug-in
- D. Data Domain client plug-in was not installed on the test host

Correct Answer: B

QUESTION 6

A Business implemented SharePoint 2010 in their environment and uploaded many business documents onto the SharePoint from multiple file servers. They also set up backups of their SharePoint farm with the Avamar SharePoint VSS plug-

in.

They discovered that backups of their backend SQL server databases (DBs) were running long so they started using the



2023 Latest pass2lead E20-895 PDF and VCE dumps Download

SQL plug-in to perform incremental backups of their SQL databases.

What should you advise the customer?

- A. More storage space is needed to back up the databases.
- B. SharePoint content DB will not be backed up with SQL plug-in.
- C. Granular level recovery is supported with the SQL plug-in.
- D. The SQL plug-in can be used for SharePoint Disaster Recovery.

Correct Answer: A

QUESTION 7

A customer has an EMC Avamar server integrated with a Data Domain system as a backup solution. They would like to use encryption for the backups that are directed to the Data Domain system. What should you advise the customer?

- A. Enable encryption-at-rest only on the Data Domain system.
- B. Enable in-flight encryption between the client and the Data Domain.
- C. Neither in-flight encryption nor encryption-at-rest are supported.
- D. Both in-flight encryption and encryption-at-rest are supported.

Correct Answer: A

QUESTION 8

A customer has a large Oracle database being backed up to an EMC Avamar server. The backup runtime is exceeding their backup window. What is the recommended method to shorten the backup runtime?

- A. Increase RMAN channel count, enable Oracle Block Change Tracking, and reconfigure Oracle to an incremental strategy
- B. Split the Oracle database files across two unique datasets and run them in parallel using multiple avtar calls
- C. Increase the CPU priority and memory allocation for Oracle plug-in, and use multiple RMAN channels
- D. Create an Oracle database dump file and use the file system plug-in to back it up with concurrent avtar threads

Correct Answer: A

QUESTION 9

A company has Microsoft SQL databases. They often have a need to perform redirected recoveries of these databases to a different server. They are challenged by the fact that the storage layout on the recovery server does not always match the original backup, causing the recovery to fail.



2023 Latest pass2lead E20-895 PDF and VCE dumps Download

What is the most efficient method to overcome this challenge?

- A. Perform a file system recovery of the f-0 file and use SQL Server Manager to manually adjust the layout.
- B. Ensure the recovery server storage is provisioned to match the backup prior to initiating the recovery.
- C. Perform a database redirected restore with a tail-log backup to the other instance.
- D. Perform the recovery as a database using SQL Server Manager to adjust the layout to match that of the recovery server.

Correct Answer: A

QUESTION 10

A customer is successfully backing up 50 virtual machines (VMs) hosted on two ESX hosts. There are two datastores and two proxy servers used for VADP-based backups. They deploy another proxy server to backup 10 new VMs residing on a new datastore. The backups for the new VMs failed with the following error:

Event Code: 30931 - Failed to initiate a backup or restore of a virtual machine because no proxy was found to service the virtual machine. What caused this error?

- A. Not enough space is allocated on the proxy server to mount VM snaps
- B. Proxy server is not provisioned on the new datastore
- C. Proxy host has not been given backup privilege in the vCenter
- D. New datastore is not selected for the proxy server in Avamar Administrator

Correct Answer: D

QUESTION 11

A customer wants to protect their DB2 databases with EMC Avamar. You have configured some test databases and have performed several successful backups of various types. They would now like to restore the databases to complete their testing.

In order to restore from an online backup with archive logs, which prefix should they look for when choosing a backup file?

A. hl

B. c

C. cl


D. h

Correct Answer: A



QUESTION 12

Refer to the exhibit.



The two SQL servers shown both have primary as well as secondary copies of databases. Which Avamar client can back up which SQL database?

- A. Each database copy can be backed-up by its local client.
- B. Each database copy can be backed-up by each client.
- C. Only the primary database copies can be backed-up by their local client.
- D. Only the secondary database copies can be backed-up by their local client.

Correct Answer: A

QUESTION 13

You are adding a deduplication node to a customer\\'s EMC NetWorker environment. The NetWorker clients currently back up to tape and perform full backups on Sunday and incremental backups on the other days of the week. In the new solution, all clients will back up to the deduplication node. The speed of recovery and higher deduplication rates are important to the customer. Which NetWorker schedule is recommended?

- A. Full backups on Sunday and incremental backups on other days of the week
- B. Incremental backups every day



2023 Latest pass2lead E20-895 PDF and VCE dumps Download

C. Full backups every day

D. Initial full backup followed by incremental backups

Correct Answer: C

QUESTION 14

A customer with a single server MS Exchange 2010 solution is using Avamar as its backup solution. They are adding two more standalone Exchange servers to enhance the performance of their email environment. What needs to be configured in Avamar to back up data from all three servers?

- A. Install Exchange VSS client on the new servers.
- B. Install and configure the Avamar Windows Cluster Client to include the new servers.
- C. Uninstall the Exchange VSS Client from the first server and reinstall this client on all three servers.
- D. Install the legacy Avamar 6.0 Exchange Database plug-in on all three servers.

Correct Answer: A

QUESTION 15

A backup administrator with an existing Avamar 7.0 multi-node server has just integrated a Data Domain appliance running DDOS 5.3 into their backup environment.

To provide disaster recovery of the Avamar server, the administrator wants to store Avamar checkpoint backups on the new Data Domain system.

What would you advise the customer?

- A. Avamar multi-node servers do not support checkpoint backups to Data Domain.
- B. Avamar 7.0 does not support checkpoint backups to Data Domain.
- C. The Data Domain DDOS version needs to be 5.4 or above.
- D. Data Domain does not support the storage of Avamar checkpoint backups.

Correct Answer: A

E20-895 PDF Dumps

E20-895 Practice Test

E20-895 Study Guide