

EW0-200^{Q&As}

Extreme networks associate(ena)

Pass Extreme Networks EW0-200 Exam with 100% Guarantee

Free Download Real Questions & Answers PDF and VCE file from:

https://www.pass2lead.com/ew0-200.html

100% Passing Guarantee 100% Money Back Assurance

Following Questions and Answers are all new published by Extreme Networks Official Exam Center

- Instant Download After Purchase
- 100% Money Back Guarantee
- 365 Days Free Update
- 800,000+ Satisfied Customers



2023 Latest pass2lead EW0-200 PDF and VCE dumps Download

QUESTION 1

When a host, using TCP/IP, communicates with a destination outside its VLAN it relies on the configured default gateway. What is the destination MAC address in an Ethernet frame sent by this host destined to another VLAN? The ARP request has already been replied.

- A. The MAC address of the destination
- B. The MAC address of the default gateway
- C. The MAC address of the source
- D. The general broadcast address.

Correct Answer: B

QUESTION 2

ExtremeWare supports two levels of management ?user and administrator. When logged in as a user, one has viewing access to all manageable parameters including User account database and SNMP community strings.

- A. TRUE
- B. FALSE

Correct Answer: B

QUESTION 3

Link aggregation is supported on a Summit 1i and the following load sharing algorithm is recommended by Extreme Networks.

- A. port-based
- B. address-based
- C. round-robin
- D. None of the above, link aggregation is not supported

Correct Answer: B

QUESTION 4

The modular BlackDiamond 6816 switch offers how many slots?

- A. 4 I/O module slots and 2 MSM slots
- B. 8 I/O module slots and 2 MSM slots



2023 Latest pass2lead EW0-200 PDF and VCE dumps Download

C. 16 I/O module slots and 2 MSM slots D. 16 I/O module slots and 4 MSM slots Correct Answer: D **QUESTION 5** Which of the following methods can be used to access an Extreme Networks switch? A. SNMP B. RS-232 C. Telnet D. HTTP E. All of the above Correct Answer: E **QUESTION 6** Which CLI command will you use to change the CLI prompt from the default display to Switch02? A. CONFIG SNMP SYSLOCATION Switch02 B. CONFIG SNMP SYSNAME Switch02 C. CONFIG CLI PROMPT Switch02 D. CONFIG CLI DISPLAY Switch02 Correct Answer: B **QUESTION 7** Which CLI command would enable you to schedule a configuration download to occur at regular intervals? A. download config B. download config C. download config every D. download config every

Correct Answer: D

2023 Latest pass2lead EW0-200 PDF and VCE dumps Download

QUESTION 8

What is the purpose of the Spanning Tree Protocol listening state?

- A. Listening to BPDUs to ensure there are no loops in the network.
- B. Building a forwarding database.
- C. Learning Mac addresses.
- D. Building a filter table.

Correct Answer: A

QUESTION 9

What is a CP SYN?request?

- A. A request from a TCP client to synchronize an FTP session
- B. A request from a TCP station to establish a TCP session to another station
- C. A request from a TCP server to re-send telnet data
- D. TCP client to server keep-alive

Correct Answer: B

QUESTION 10

The CLI command to prevent VLAN corporate from forwarding broadcast traffic for ports 2:2-2:6 is: config vlan corporate add ports 2:2-2:6 nobroadcast.

- A. TRUE
- B. FALSE

Correct Answer: A

QUESTION 11

The Extreme switch ASIC look-up Host Table containing IP host routes, outbound VLAN interfaces and ports is called:

- A. IP Route Table
- B. IP ARP Table
- C. IP FDB

Correct Answer: C

2023 Latest pass2lead EW0-200 PDF and VCE dumps Download

QUESTION 12 What is the maximum number of VLANs that can be tagged on a single link between Extreme Networks switches. A. 1000 B. 2000 C. 4095 D. 6000 Correct Answer: C **QUESTION 13** OSPF supports two levels of routing hierarchy represented by an: A. Area and routers within the area B. Autonomous System and Area C. Autonomous System and Domains D. None of these Correct Answer: B **QUESTION 14** An Alpine 3802 switch maintains a maximum of _____ messages in its internal log? Correct Answer: 1000 **QUESTION 15** In ExtremeWare, active VLANs that are configured with ports and an IP address and configured to forward IP and run a routing protocol will have their subnet advertised. A. TRUE

B. FALSE

Correct Answer: A



https://www.pass2lead.com/ew0-200.html 2023 Latest pass2lead EW0-200 PDF and VCE dumps Download

Latest EW0-200 Dumps

EW0-200 VCE Dumps

EW0-200 Braindumps